







Structure ID: DS-3

P1 HWA18D

18" - HW AW w/TOE/DISSIPATORS F/F

DIMENSIONS & QUANTITIES										
TYPE	PIPE Ø	A	B	C	D	E	F	G	DISS. BLOCKS	WEIGHT
BW	24"	4'-0"	6'-0"	3'-8"	3'-0"	3'-0"	8"	6"	3 EA.	3,100 LBS.



- NOTES:**
1. CONCRETE: 4500 PSI AT 28 DAYS MIN. STRENGTH.
 2. REINFORCING: #4 BAR @ 12" C/C E.W.-GRADE 60, (WITH 2" CONCRETE COVER MINIMUM)
 3. REINFORCING BARS TO BE TACK WELDED OR TIED.
 4. DISSIPATOR BLOCKS INSTALLED POST POUR OF HEADWALL WITH 2 EA. #5 REBAR DOWELS.

PRODUCTION WORK ORDER		DESCRIPTION: 24in BW HEADWALL w/DISSIPATORS	
PRODUCT I.D.:	HMBW24D	CUSTOMER:	T.B.D.
PRODUCT VIEW:	RIGHT SIDE UP	PROJECT:	T.B.D.
PLANT:	BEAVER DAM, KY.	STRUCTURE ID.:	T.B.D.
WEIGHT:	3,100 LBS.	SALES ORDER NO.:	T.B.D.
TOP SECTION JOINT:	N/A	CHECK: A. WELLS	DRAWING: J. HORSLEY
BASE SECTION JOINT:	TOE	DATE: 01/24/25	SCALE: NTS
QC CHECK INITIALS:			PG. 1 of 1

