

Job Name: 26-1075 - Walmart Fuel Station 00674-1008
 Job Location: Gallatin, TN
 Contractor: Stewart Richey

Plant: 100

5/26/2026 11:48:23 AM

Tech: Jared - A

PC: T. Lewis



Structure ID: JB 1 (2)

P1 MH048BAEVF

MH BASE EF Cust. Ht. 08"F (08"EF =74"OD) T/n

- P3) 24" - CASTING HEIGHT - 7"
- P2) 48" - CON CONE w/24" HOLE, NO STEPS F/G - 24"
- P1) 48" - MH BASE EF Cust. Ht. 08"F (08"EF =74"OD) T/n - 40"
- 1) CASTING - JBS 1150 F/C STORM
- 1) 48" - Conseal CS-102 1.00"
- 1) 24" - Conseal CS-102 1.00"
- 2) Hole - 30

0 lb
 2252 lb
 5049 lb
 250 lb
 0 lb
 0 lb
 0 lb

 7551 lb

Structure Total:



- Structure Notes:
1. PER ASTM C-478 SPECIFICATIONS
 2. CONCRETE: 4,000 PSI AT 28 DAYS
 3. REINFORCEMENT: PER ASTM A615
 4. STORM INVERT BY OTHERS
 5. NO STEPS
 6. JBS 1150 FRAME & COVER "STORM" SUPPLIED BY ICAST

Rim: 519.75' Rim to Invert: 5.86' Slack: 1.22" Sump: 1.9" Step Position:


Position	Elev	Angle	Ext. (cw)	Pipe	Pipe OD	Connector	Hole	Horz Size	Up ()	Offset
Invert 1	513.89'	0°	0"	24" HDPE	27.8"	Hole 30	30"	32.406"	0"	0"
Invert 2	513.89'	260°	131.625"	24" HDPE	27.8"	Hole 30	30"	32.406"	0"	0"
Invert 3										
Invert 4										
Invert 5										
Invert 6										
Invert 7										
Invert 8										

RIGHT-SIDE UP VIEW (int. dimensions)

UPSIDE-DOWN VIEW (int. dimenions)



INSIDE WALL DIMENSIONS



Coating (Int):
 Coating (Ext):

Seam Up: Tongue
 Seam Dn: n/a

Wall Thickness: 5"
 Floor Height: 8"

Height (Int): 40"
 Height (Ext): 48"

Weight (Net): 5049 lb
 Volume (Net): 1.29cu.yd