






PLAN VIEW



SECTION A-A



SECTION B-B

GENERAL NOTES:

1. MANUFACTURED TO ASTM C-913 (LATEST REVISION).
2. CONCRETE: 4,000 PSI AT 28 DAYS.
3. REINFORCING: #5 BAR @ 12" C.C.E.W. (GRADE 60) - 2" MIN. REBAR CLEARANCE.
4. WEIGHTS: TOTAL = 21,236 LBS
FIRST POUR = 6,090 LBS
SECOND POUR = 15,146 LBS
5. DOUBLE ROLL CS-102 JOINT SEALANT.

FIRST POUR DRAWING

PRODUCTION WORK ORDER

PRODUCT I.D.: BX072132-06W06F-BAVF

DESCRIPTION: 6' X 11' VAULT BASE SECTION



QUALITY CONTROL CHECKLIST

- ☐ ALL DIMENSIONS CORRECT.
- ☐ LIFTERS INSTALLED.
- ☐ OPENING CORRECT LOCATION(S).
- ☐ REINFORCING CORRECT.
- ☐ SURFACE QUALITY ACCEPTABLE.
- ☐ EDGES CHAMFERED.
- ☐ ALL PATCHWORK ACCEPTABLE.

PRODUCT VIEW: RIGHT-SIDE UP

PLANT: BEAVER DAM, KY.

WEIGHT: 21,236 LBS.

TOP SECTION JOINT: FLAT

BASE SECTION JOINT: N/A

QC CHECK INITIALS:

CUSTOMER: CORE & MAIN (BG)

PROJECT: CAMPBELL VIEW APARTMENTS VAULT

STRUCTURE: QL1

ORDER NO: 26-2495


PC: T. LEWIS

DRAWING: S. FELLETER


DATE: 08/12/26

SCALE: NTS


PG. 1 of 1



PLAN VIEW



SECTION A-A



SECTION B-B

GENERAL NOTES:

1. MANUFACTURED TO ASTM C-913 (LATEST REVISION).
2. CONCRETE: 4,000 PSI AT 28 DAYS.
3. REINFORCING: #5 BAR @ 12" C.C.E.W. (GRADE 60) - 2" MIN. REBAR CLEARANCE.
4. WEIGHTS: TOTAL = 21,236 LBS
FIRST POUR = 6,090 LBS
SECOND POUR = 15,146 LBS
5. DOUBLE ROLL CS-102 JOINT SEALANT.

SECOND POUR DRAWING

PRODUCTION WORK ORDER

PRODUCT I.D.: BX072132-06W06F-BAVF

DESCRIPTION: 6' X 11' VAULT BASE SECTION



QUALITY CONTROL CHECKLIST

- ☐ ALL DIMENSIONS CORRECT.
- ☐ LIFTERS INSTALLED.
- ☐ OPENING CORRECT LOCATION(S).
- ☐ REINFORCING CORRECT.
- ☐ SURFACE QUALITY ACCEPTABLE.
- ☐ EDGES CHAMFERED.
- ☐ ALL PATCHWORK ACCEPTABLE.

PRODUCT VIEW: RIGHT-SIDE UP

CUSTOMER: CORE & MAIN (BG)

PLANT: BEAVER DAM, KY.

PROJECT: CAMPBELL VIEW APARTMENTS VAULT

WEIGHT: 21,236 LBS.

STRUCTURE: QL1

TOP SECTION JOINT: FLAT

ORDER NO: 26-2495

BASE SECTION JOINT: N/A

PC: T. LEWIS

DRAWING: S. FELLETER

QC CHECK INITIALS:

DATE: 08/12/26

SCALE: NTS

PG. 1 of 1