



Structure ID: STM-H2


P1 HAWW18F

18" - HW AW w/FLAT BOTTOM


DIMENSIONS & QUANTITIES										
TYPE	PIPE Ø	A	B	C	D	E	F	C	H	WEIGHT
AW	18"	2'-8"	2'-8"	2'-6"	2'-2"	2'-0"	6"	0"	4'-0"	1,380 LBS.
										1,380 LBS.

NOTES:


1. CONCRETE: 4500 PSI AT 28 DAYS MINIMUM COMPRESSIVE STRENGTH.
2. REINFORCING: #4 BAR @ 12" C/C E.W. -GRADE 60, (WITH 2" CONCRETE COVER MINIMUM)
3. REINFORCING BARS TO BE TACK WELDED OR TIED.
4. PIPE AND LIFTING ANCHOR POCKETS TO BE GROUTED WITH NON-SHRINK GROUT AFTER SETTING.
5. PREFORMED STEPPED HOLE SIZED AS PER O.D. OF PIPE + 3" -4".
6. OPTIONAL FOOTING (TOE) AVAILABLE FOR ALL SIZES.




PLAN VIEW



FRONT ELEVATION



ISOMETRIC VIEW



SECTION A-A

PRODUCTION WORK ORDER		PRODUCT I.D.: HAWW18F	
QUALITY CONTROL CHECKLIST <input type="checkbox"/> ALL DIMENSIONS CORRECT. <input type="checkbox"/> LIFTERS INSTALLED. <input type="checkbox"/> STEPPED HF CORRECT SIZE. <input type="checkbox"/> REINFORCING CORRECT. <input type="checkbox"/> CLEARANCE ON REINFORCING CORRECT. <input type="checkbox"/> EDGES CHAMFERED. <input type="checkbox"/> ALL PATCHWORK ACCEPTABLE.		DESCRIPTION: 18in AW WINGED HEADWALL, FLAT CUSTOMER: STOCK PROJECT: STOCK STRUCTURE ID.: T.B.D. SALES ORDER NO: T.B.D. PC: B. KELLY DATE: 10/30/23 SCALE: NTS PG. 1 of 1	DRAWING: J. HORSLEY NTS

