

Structure ID: CBI-104 178+70 LT

P2 BX2436-08R36

BOX RISER 8inW T/G



P4) 24" x 120" - CB INLET KY A 10' TOP LEFT F/G - 10" P3) 24" x 120" - CB INLET KY A 10' BOTTOM LEFT T/G - 18" P2) 24" x 36" - BOX RISER 8inW T/G - 36" P1) 24" x 36" - BOX BASE 8inW, 8inF T/n - 48" 2) 24" x 36" - SGL 1"x14.5' Butyl 1) Hole - 22 2) Hole - 18 2) Hole - 6	3400 lb 5270 lb 3635 lb 5691 lb 0 lb 0 lb 0 lb 0 lb 0 lb ----- Structure Total: 17996 lb
----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------

Structure Notes:
 -KYTC STATE PROJECT 241302.
 -MANUFACTURED TO KYTC & ASTM C-913 SPECIFICATIONS.
 -#5 BAR @ 12" C/C E.W. (TYP.)
 -CS-102-1" BUTYL MASTIC (SUPPLIED BY ICAST).
 -"RIM" ELEVATION SHOWN IS TOP OF CURB/TOP PHASE.


Rim: 569.83' Rim to Invert: 9.36' Slack: 0.32" Sump: 0" Step Position:

Position	Elev	Angle	Ext. (cw)	Pipe	Pipe OD	Connector	Hole	Horz Size	Up ()	Offset
Invert 1										
Invert 2										
Invert 3										
Invert 4	566.8'	0°	20"	4" HDPE	4.8"	Hole 6	6"	6"	25"	0"
Invert 5	566.8'	180°	20"	4" HDPE	4.8"	Hole 6	6"	6"	25"	0"
Invert 6										
Invert 7										
Invert 8										

RIGHT-SIDE UP VIEW (int. dimensions)



INSIDE WALL DIMENSIONS



Coating (Int): Coating (Ext):	Seam Up: Tongue Seam Dn: Groove	Wall Thickness: 8" Floor Height: 0"	Height (Int): 36" Height (Ext): 36"	Weight (Net): 3635 lb Volume (Net): 0.93cu.yd
----------------------------------	------------------------------------	----------------------------------------	----------------------------------------	--------------------------------------------------