

Structure ID: A2 (Stm)

P1 MH072BAVF

MH BASE Custom Ht F/n



P3) 28" x 28" - CASTING HEIGHT - 7.50" P2) 72" - MH FLAT TOP w/28"x28" Hole F/F - 10" P1) 72" - MH BASE Custom Ht F/n - 47" 1) 72" - Conseal CS-102 1.00" 1) 28" x 28" - Conseal CS-102 1.00" 2) Hole - 58 x 42 4) MH Step ML-10-TDS-NCR - 10"	0 lb 4216 lb 8211 lb 0 lb 0 lb 0 lb 0 lb ----- 0 lb	Structure Notes: 1. PER ASTM C-478 SPECS 2. CONCRETE: 4,000 PSI AT 28 DAYS 3. REINFORCEMENT: PER ASTM A615 4. STEPS AT 90 DEGREES 5. CASTING: JBS 3300-V SUPPLIED BY OTHERS
Structure Total:	12428 lb	

Rim: 532.68' Rim to Invert: 5.05' Slack: 0.6" Sump: 4.5" Step Position: 90°

Position	Elev	Angle	Ext. (cw)	Pipe	Pipe OD	Connector	Hole	Horz Size	Up ()	Offset
Invert 1	527.63'	0°	0"	45" x 29" ELL RCP	54" x 38"	Hole 58 x 42	58" x 42"	67.436"	0"	0"
Invert 2	527.63'	180°	135.088"	45" x 29" ELL RCP	54" x 38"	Hole 58 x 42	58" x 42"	67.436"	0"	0"
Invert 3										
Invert 4										
Invert 5										
Invert 6										
Invert 7										
Invert 8										


RIGHT-SIDE UP VIEW (int. dimensions)

UPSIDE-DOWN VIEW (int. dimensions)



Invert: 1
 Degree: 0°
 Horz: 0"
 Hole: 58" x 42"
 Up(): 0"

INSIDE WALL DIMENSIONS



Coating (Int): Coating (Ext):	Seam Up: Flat Seam Dn: n/a	Wall Thickness: 7" Floor Height: 8"	Height (Int): 47" Height (Ext): 55"	Weight (Net): 8211 lb Volume (Net): 2.1cu.yd
----------------------------------	-------------------------------	--	--	---