

Job Name: 24-3061B Graves Co Admin Building
 Job Location: Mayfield, KY
 Contractor: Sykes Family Farms, LLC.

Plant: Beaver Dam

12/23/2025 11:09:38 AM

Tech: J. Coppage

PC: J. Jarvis



Structure ID: ST-2

P1 BX363608R-VF

BOX RISER 8inW, Variable Ht

P1) 36" x 36" - BOX RISER 8inW, Variable Ht - 9"
 1) 36" x 36" - SGL 1"x14.5' Butyl

1063 lb
 0 lb

Structure Total: 1063 lb


Structure Notes:

1. NO CASTING.
 2. PER ASTM C913 SPECIFICATIONS.
 3. CONCRETE = 4,000 PSI AT 28 DAYS.
 4. REINFORCING PER ASTM A615 (GRADE 60).
- WALLS (As .12) #5 BARS AT 12" C.C.E.W.

Rim: 0.75' Rim to Invert: 0' Slack: 0" Sump: 0" Step Position:


Position	Elev	Angle	Ext. (cw)	Pipe	Pipe OD	Connector	Hole	Horz Size	Up ()	Offset
Invert 1										
Invert 2										
Invert 3										
Invert 4										
Invert 5										
Invert 6										
Invert 7										
Invert 8										

RIGHT-SIDE UP VIEW (int. dimensions)



(P1) <<

INSIDE WALL DIMENSIONS



Coating (Int):
 Coating (Ext):

Seam Up: Flat
 Dn: Flat

Wall Thickness: 8"
 Floor Height: 0"

Height (Int): 9"
 Height (Ext): 9"

Weight (Net): 1063 lb
 Volume (Net): 0.27cu.yd