

**Job Name: 24-3088D Coral Ridge Section 3**  
**Job Location: Hillview, KY**  
**Contractor: Dirt Design Construction LLC**

PC: C. Goff  
 TECH: J. Coppage  
 Plant: Beaver Dam



**Structure ID: Graderings**


Spec: Storm Rim: 0' Sump: 0" Floor (Bot): -0.833'  
 Type: STM.MH Invert: 0' Floor (Top): -0.833' Overall Height: 0.833'  
 Size: 48" Rim to Invert: 0' Floor Height: 0" Slack: 0"

Structure Notes:

1. PER ASTM C478 SPECIFICATIONS.
2. CONCRETE = 4,000 PSI AT 28 DAYS.
3. REINFORCING PER ASTM A615 (GRADE 60).
  - TOP SLAB (As .62) #5 BARS AT 6" C.C.E.W..
  - RISER/WALLS (As .12)
  - FLOOR (As .31) #5 BARS AT 12" C.C.E.W.



STRUCTURE SUMMARY:

P3) 24" - CASTING HEIGHT - 0" 0 lb  
 P2) 24" - GRADE RING - 4" 270 lb  
 P1) 24" - GRADE RING - 6" 405 lb  
 Structure Total: 675 lb



Position	Elev	Angle	Pipe	Pipe OD	Hole	Connector	Up ( )	Ref
Rim	0'							
Reducer								
Invert 1								
Invert 2								
Invert 3								
Invert 4								
Invert 5								
Invert 6								
Invert 7								
Invert 8								

**Default - Interior Dimensions**



Submittal Drawing  
 12/8/2025 3:25:57 PM

SUBMITTAL  
 APPROVED BY: