

Job Name: 25-0209 Garrison Gardens Job Location: Bowling Green, KY Contractor: Scotty's Contracting & Stone, LLC	Plant: 100 1/23/2026 4:32:18 PM	Tech: J. Horsley - A PC: Celina Goff	
--	------------------------------------	---	--

Structure ID: CB 6-3

P1 BX3030-06BA36

BOX BASE 6inW, 6inF F/n

P2) 30" x 30" - CASTING HEIGHT - 4"	0 lb
P1) 30" x 30" - BOX BASE 6inW, 6inF F/n - 36"	3326 lb
1) CASTING - HOE 468 F/G	489 lb
1) 30" x 30" - Conseal CS-102 1.00"	0 lb
1) Hole - 20	0 lb
1) Hole - 6	0 lb
Structure Total:	3815 lb



- Structure Notes:**
- PER ASTM C-913 SPECIFICATIONS
 - CONCRETE: 4,000 PSI AT 28 DAYS
 - REINFORCEMENT: #5 BAR @ 12" C.C. E.W. (GRADE 60) - 2" MIN. REBAR CLEARANCE (TYP)
 - NO STORM INVERT
 - NO STEPS
 - HOE 468 FRAME & GRATE SUPPLIED BY ICAST

Rim: 523.84' Rim to Invert: 3.41' Slack: 0.92" Sump: 0" Step Position:


Position	Elev	Angle	Ext. (cw)	Pipe	Pipe OD	Connector	Hole	Horz Size	Up (↓)	Offset
Invert 1	520.43'	0°	21"	15" HDPE	17.6"	Hole 20	20"	20"	-1.3"	0"
Invert 2	522.17'	270°	21"	4" HDPE (perf pipe)	4.8"	Hole 6	6"	6"	20.48"	0"
Invert 3										
Invert 4										
Invert 5										
Invert 6										
Invert 7										
Invert 8										

RIGHT-SIDE UP VIEW (int. dimensions)

UPSIDE-DOWN VIEW (int. dimensions)



INSIDE WALL DIMENSIONS



Coating (Int): Coating (Ext):	Seam Up: Flat Seam Dn: n/a	Wall Thickness: 6" Floor Height: 6"	Height (Int): 36" Height (Ext): 42"	Weight (Net): 3326 lb Volume (Net): 0.85cu.yd
----------------------------------	-------------------------------	--	--	--