



Structure ID: HW 1-1


P1 HWPC36F

36" - PIPE CULVERT HEADWALL w/Flat Bottom F/F

DIMENSIONS						
A	B	C	D	E	F	G
4'-6"	5'-0"	4'-0"	1'-6"	5'-0"	3'-8"	8'-8"
						WEIGHT
						8,705 LBS


GENERAL NOTES:

1. CONCRETE: KYTC APPROVED
2. REINFORCING: #5 BAR @ 12" C.C. E.W. (GRADE 60) - 2" MIN. REBAR CLEARANCE (TYP)
3. REINFORCING BARS TO BE TACK WELDED OR TIED
4. PIPE & LIFTING ANCHOR POCKETS TO BE GROUTED WITH KYTC APPROVED NON-SHRINK GROUT
5. DRAWING TO BE USED IN CONJUNCTION WITH KYTC STANDARD DRAWING RDH-110-02, RDH-210-03, & THE STANDARD SPECIFICATIONS FOR ROAD & BRIDGE CONSTRUCTION
6. 3/4" CHAMBER ON ALL EXPOSED EDGES




PLAN VIEW

Ø48" OPENING STEPPED DOWN TO Ø36" OPENING FOR 36" PIPE - BOTTOM OF Ø36" OPENING TO BE FLUSH WITH FLOOR




FRONT VIEW



SIDE VIEW

PRODUCTION WORK ORDER	
QUALITY CONTROL CHECKLIST <input type="checkbox"/> ALL DIMENSIONS CORRECT. <input type="checkbox"/> LIFTERS INSTALLED. <input type="checkbox"/> OPENING CENTERED. <input type="checkbox"/> REINFORCING CORRECT. <input type="checkbox"/> SURFACE QUALITY ACCEPTABLE. <input type="checkbox"/> EDGES CHAMFERED. <input type="checkbox"/> ALL PATCHWORK ACCEPTABLE.	PRODUCT I.D.: HWPC36F PRODUCT VIEW: RIGHT SIDE UP PLANT: BEAVER DAM, KY WEIGHT: 8,705 LBS TOP SECTION JOINT: N/A BASE SECTION JOINT: N/A QC CHECK INITIALS:
DESCRIPTION: 36" PIPE CULVERT HEADWALL W/ FLAT BOTTOM CUSTOMER: SCOTTY'S CONTRACTING & STONE, LLC PROJECT: GARRISON GARDENS STRUCTURE: HW 1-1 ORDER NO: 25-0209 PE: J.H. ROSS DATE: 01/23/26 SCALE: NTS PG. 1 OF 1	



THIS DRAWING IS THE PROPERTY OF INFRASTRUCTURE PRECAST, INC. ANY USE OR DUPLICATION OF THIS DRAWING WITHOUT PRIOR AUTHORIZATION IS STRICTLY PROHIBITED.