

Job Name: 25-1303D - The Oaks 4 (Cluster) Sanitary
 Job Location: Clarksville, TN 37040
 Contractor: Byard Construction, LLC

Plant: Beaver Dam, KY

Tech: J. Horsley

2/11/2026 9:22:54 AM

PC: J. Jarvis



Structure ID: SSMH D-1 (1)

P2 MH048CN30CDARED

ECC CONE w/ 24" HOLE, w/ConBlock-CDA Red F/G


- P3) 24" - CASTING HEIGHT - 7"
- P2) 48" - ECC CONE w/ 24" HOLE, w/ConBlock-CDA Red F/G - 30"
- P1) 48" - MH BASE w/ConBlock-CDA Red T/n - 24"
- 1) JOINT WRAP PRIMER - CONSEAL CS-75 (1 gal.)
- 1) JOINT WRAP - 0.065"x6"x50" CONSEAL CS212
- 1) 48" - SAN. INV. CHANNEL w/ConBlock-CDA Red - FULL HEIGHT
- 1) ADMIXTURE CONBLOCK CDA RED
- 1) CASTING - JBS 1150 F/C SANITARY
- 1) 48" - Conseal CS-102 1.00" (Double)
- 2) PSX - 12-08 NYLO
- 5) MH Step ML-10-TDS-NCR - 10"

0 lb
 1961 lb
 2911 lb
 0 lb
 0 lb
 1440 lb
 0 lb
 250 lb
 0 lb
 16 lb
 0 lb


Structure Notes:

1. PER ASTM C-478 SPECS
2. CONCRETE: 5,000 PSI AT 28 DAYS
3. REINFORCEMENT: PER ASTM A615
4. CONBLOCK CDA RED ADMIXTURE REQUIRED
5. JBS 1150 FRAME & COVER "SANITARY" SUPPLIED BY ICAST
6. STEPS REQUIRED

Structure Total: 6578 lb



48" - ECC CONE w/ 24" HOLE, w/ConBlock-CDA Red F/G - 30" - (P2)



Coating (Int):
 Coating (Ext):

Seam Up: Flat
 Seam Dn: Groove

Wall Thickness: 5"

Height (Ext): 30"

Weight (Net): 1961 lb
 Volume (Net): 0.5cu.yd