

Job Name: 25-1431 - Georgetown Commons
 Job Location: Georgetown, KY
 Contractor: Winwater Hartford KY Co.

Plant: Beaver Dam
 4/24/2026 2:18:25 PM

Tech: J. Coppage
 PC: A. Chambers



Structure ID: 26+67.51

P1 BX024036-08LD08-16X28



BX FLAT LID 8inW w/16"x28" HOLE

P2) 16" x 28" - CASTING HEIGHT - 5"
 P1) 24" x 36" - BX FLAT LID 8inW w/16"x28" HOLE - 8"

Structure Total: 0 lb
 1096 lb

 1096 lb

- Structure Notes:**
1. JR HOE KY-550 PROVIDED BY ICAST.
 2. KYTC DBI TYPE 10 / ASTM C-913 SPEC'S.
 3. CONCRETE = 4,000 PSI AT 28 DAYS.
 4. REINFORCING PER ASTM A615 (GRADE 60).
 - TOP SLAB (As .62) #5 BARS AT 6" C.C.E.W.
 5. VERIFY THE REQUIRED SIZE FOR THE TOP SLAB.



NOTES:

1. MANUFACTURED TO ASTM C-913 (LATEST REVISION).
2. CONCRETE: 5,000 PSI AT 28 DAYS.
3. REINFORCING: #5 BAR @ 6" O.C. E.W. (GRADE 60).

Coating (Int): Coating (Ext):	Seam Up: Flat Seam Dn: Flat	Wall Thickness: 8"	Height (Ext): 8"	Weight (Net): 1096 lb Volume (Net): 0.28cu.yd
----------------------------------	--------------------------------	--------------------	------------------	--