

Job Name: 25-1431 - Georgetown Commons
 Job Location: Georgetown, KY
 Contractor: Winwater Hartford KY Co.

Plant: Beaver Dam

Tech: J. Coppage

4/9/2026 10:01:29 AM

PC: A. Chambers



Structure ID: MH 204

P2 MH084RS24

MH RISER

- P4) 24" - CASTING HEIGHT - 7"
- P3) 84" - MH FLAT TOP w/24" ECC Hole - 17"
- P2) 84" - MH RISER - 24"
- P1) 84" - MH BASE Custom Ht - 82"
- 1) CASTING - HOE MC-420 F/C Storm LOU-MSD
- 2) 84" - Conseal CS-102 1.00"
- 2) Hole - 64
- 9) MH Step ML-10-TDS-NCR - 10"

0 lb
 7959 lb
 4657 lb
 16383 lb
 340 lb
 0 lb
 0 lb
 0 lb


 Structure Total: 29339 lb

Structure Notes:
 1. JR HOE MC-420 PROVIDED BY ICAST.
 2. PER ASTM C478 SPECIFICATIONS.
 3. CONCRETE = 4,000 PSI AT 28 DAYS.
 4. REINFORCING PER ASTM A615 (GRADE 60).
 - TOP SLAB (As .62) #5 BARS AT 6" C.C.E.W.
 - RISER/WALLS (As .24)
 - FLOOR (As .47) #5 BARS AT 8" C.C.E.W.


Rim: 867.5' Rim to Invert: 10.7' Slack: 1.9' Sump: 3.5' Step Position: 111°

Position	Elev	Angle	Ext. (cw)	Pipe	Pipe OD	Connector	Hole	Horz Size	Up (L)	Offset
Invert 1										
Invert 2										
Invert 3										
Invert 4										
Invert 5										
Invert 6										
Invert 7										
Invert 8										


RIGHT-SIDE UP VIEW (int. dimensions)



Step: 111°
 Horz: 81.367"



INSIDE WALL DIMENSIONS



Coating (Int):
 Coating (Ext):

Seam Up: Tongue
 Seam Dn: Groove

Wall Thickness: 8"
 Floor Height: 0"

Height (Int): 24"
 Height (Ext): 24"

Weight (Net): 4657 lb
 Volume (Net): 1.19cu.yd