

Job Name: 25-1431 - Georgetown Commons
 Job Location: Georgetown, KY
 Contractor: Winwater Hartford KY Co.

Plant: Beaver Dam
 4/23/2026 11:30:55 AM

Tech: J. Copping
 PC: A. Chambers



Structure ID: MH 301

P2 BX084084-12TS48

CB FT REDUCER 48" HOLE


- P4) 24" - CASTING HEIGHT - 8"
- P3) 48" - ECC CONE w/ 24" HOLE - 24"
- P2) 84" x 84" - CB FT REDUCER 48" HOLE - 12"
- P1) 84" x 84" - BOX BASE 8inW, 8inF, Variable Ht - 84"
- 1) CASTING - HOE KY-510 F/C (KY TY.2)
- 1) 84" x 84" - Conseal CS-102 1.00"
- 1) 48" - Conseal CS-102 1.00"
- 2) Hole - 76
- 1) Hole - 26
- 10) MH Step ML-10-TDS-NCR - 10"

- 0 lb Structure Notes:
 1550 lb ** KYTC STATE PROJECT**
 8247 lb 1. JR HOE KY-510 PROVIDED BY ICAST
 21017 lb 2. PER KYTC MANHOLE TYPE C / ASTM C913 SPEC'S.
 510 lb 3. CONCRETE = 4,000 PSI AT 28 DAYS.
 0 lb 4. REINFORCING PER ASTM A615 (GRADE 60).
 0 lb - TRANS. SLAB #5's AT 6" C.C.E.W (DBL MAT).
 0 lb - WALLS #5's AT 6" C.C.E.W.
 0 lb - FLOOR #5's AT 12" C.C.E.W..

Structure Total: 31324 lb

NOTES:

1. MANUFACTURED TO ASTM C-913 (LATEST REVISION).
2. CONCRETE: 4,000 PSI AT 28 DAYS.
3. REINFORCING: TOP AND BOTTOM MAT #5 BAR @ 8" O.C. E.W. (GRADE 60)



Coating (Int): Coating (Ext):	Seam Up: Tongue Seam Dn: Flat	Wall Thickness: 8"	Height (Ext): 12"	Weight (Net): 8247 lb Volume (Net): 2.11cu.yd
----------------------------------	----------------------------------	--------------------	-------------------	--