

Job Name: 25-1431 - Georgetown Commons
 Job Location: Georgetown, KY
 Contractor: Winwater Hartford KY Co.

Plant: Beaver Dam
 4/23/2026 12:23:23 PM

Tech: J. Coppage
 PC: A. Chambers



Structure ID: MH 311

P1 MH096BAVF

MH MONOBASE 12F, Custom Ht

- P3) 24" - CASTING HEIGHT - 7"
- P2) 96" - MH FLAT TOP w/ 24" ECC Hole - 12"
- P1) 96" - MH MONOBASE 12F, Custom Ht - 93"
- 1) CASTING - HOE MC-420 F/C Storm LOU-MSD
- 1) 96" - Conseal CS-102 1.00"
- 1) Hole - 76
- 1) Hole - 22
- 1) Hole - 66
- 7) MH Step ML-10-TDS-NCR - 10"

0 lb
 9821 lb
 26503 lb
 340 lb
 0 lb
 0 lb
 0 lb
 0 lb
 0 lb
 0 lb
 Structure Total: 36664 lb




- Structure Notes:**
1. JR HOE HOE-420 PROVIDED BY ICAST
 2. PER ASTM C478 SPEC'S.
 3. CONCRETE = 4,000 PSI AT 28 DAYS.
 4. REINFORCING PER ASTM A615 (GRADE 60).
 - TOP SLAB (As .62) #5 BARS AT 6" C.C.E.W..
 - RISER/WALLS (As .12)
 - FLOOR (As .31) #5 BARS AT 12" C.C.E.W.

Rim: 874.25' Rim to Invert: 9' Slack: 2" Sump: 6" Step Position: 270°


Position	Elev	Angle	Ext. (cw)	Pipe	Pipe OD	Connector	Hole	Horz Size	Up ()	Offset
Invert 1	865.25'	0°	0"	60" RCP B WALL	72"	Hole 76	76"	87.699"	0"	0"
Invert 2	865.25'	77°	76.603"	15" RCP B WALL	19.5"	Hole 22	22"	22.197"	3.75"	0"
Invert 3	865.57'	180°	179.071"	60" CMP	61"	Hole 66	66"	72.772"	9.34"	0"
Invert 4										
Invert 5										
Invert 6										
Invert 7										
Invert 8										

RIGHT-SIDE UP VIEW (int. dimensions)

UPSIDE-DOWN VIEW (int. dimensions)



INSIDE WALL DIMENSIONS



Coating (Int):
 Coating (Ext):

Seam Up: Flat
 Seam Dn: n/a

Wall Thickness: 9"
 Floor Height: 12"

Height (Int): 93"
 Height (Ext): 105"

Weight (Net): 26503 lb
 Volume (Net): 6.77cu.yd