

Job Name: 25-1431 - Georgetown Commons
 Job Location: Georgetown, KY
 Contractor: Winwater Hartford KY Co.

Plant: Beaver Dam

4/23/2026 11:19:42 AM

Tech: J. Coppage

PC: A. Chambers



Structure ID: MH 6

P1 MH060BAVF

MH BASE Custom Ht

- P3) 24" - CASTING HEIGHT - 7"
- P2) 60" - MH FLAT TOP w/ 24" ECC Hole - 8"
- P1) 60" - MH BASE Custom Ht - 61"
- 1) CASTING - HOE MC-420 F/C Storm LOU-MSD
- 1) 60" - Conseal CS-102 1.00"
- 2) Hole - 38
- 1) Hole - 30
- 5) MH Step ML-10-TDS-NCR - 10"

- Structure Notes:**
1. JR HOE MC-420 PROVIDED BY ICAST.
 2. PER ASTM C478 SPECIFICATIONS.
 3. CONCRETE = 4,000 PSI AT 28 DAYS.
 4. REINFORCING PER ASTM A615 (GRADE 60).
 - TOP SLAB (As .62) #5 BARS AT 6" C.C.E.W..
 - RISER/WALLS (As .18)
 - FLOOR (As .37) #5 BARS AT 10" C.C.E.W.



Structure Total: 10281 lb

Rim: 865.25' Rim to Invert: 6.25' Slack: 1.55" Sump: 2.55" Step Position: 87°


Position	Elev	Angle	Ext. (cw)	Pipe	Pipe OD	Connector	Hole	Horz Size	Up (⌋)	Offset
Invert 1	859'	0°	0"	30" HDPE	35.1"	Hole 38	38"	41.151"	0"	0"
Invert 2	860.5'	174°	109.327"	30" HDPE	35.1"	Hole 38	38"	41.151"	18"	0"
Invert 3	859'	256°	160.85"	24" HDPE	27.8"	Hole 30	30"	31.416"	0.65"	0"
Invert 4										
Invert 5										
Invert 6										
Invert 7										
Invert 8										

RIGHT-SIDE UP VIEW (int. dimensions)

UPSIDE-DOWN VIEW (int. dimensions)



INSIDE WALL DIMENSIONS



Coating (Int):
 Coating (Ext):

Seam Up: Flat
 Seam Dn: n/a

Wall Thickness: 6"
 Floor Height: 8"

Height (Int): 61"
 Height (Ext): 69"

Weight (Net): 7511 lb
 Volume (Net): 1.92cu.yd