

**Job Name: 25-1675 - Campbellville Middle School Ph 2**  
**Job Location: Campbellville, KY 72718**  
**Contractor: Rising Sun Development Company**

PC: J. Jarvis  
 TECH: J. Coppage  
 Plant: Beaver Dam, KY



Structure ID: 3  
 Spec: Storm  
 Type: BX 8inW, 8inF  
 Size: 24" x 36"

Rim: 812.61'  
 Invert: 808.5'  
 Rim to Invert: 4.11'

Sump: 0"  
 Floor (Top): 808.5'  
 Floor Height: 8"

Floor (Bot): 807.833'  
 Overall Height: 4.75'  
 Slack: 0.32"

**Structure Notes:**


1. PER ASTM C-913 SPECIFICATIONS
2. CONCRETE: 4,500 PSI AT 28 DAYS
3. REINFORCEMENT: #5 BAR @ 12" C.C. E.W. (GRADE 60)
4. NO STORM INVERT
5. NO STEPS
6. HOE-518 FRAME & GRATE SUPPLIED BY ICAST

**STRUCTURE SUMMARY:**


- P2) 24" x 36" - CASTING HEIGHT - 4"  
 P1) 24" x 36" - BOX BASE 8inW, 8inF, Variable Ht F/n - 45"  
 1) CASTING - HOE 518 F/G  
 1) 24" x 36" - Conseal CS-102 1.00"  
 2) Hole - 30

0 lb  
 5039 lb  
 354 lb  
 0 lb  
 0 lb


Structure Total: 5393 lb



Position	Elev	Angle	Pipe	Pipe OD	Hole	Connector	Up ( )	Ref
Rim	812.61'							
Reducer								
Invert 1	808.5'	90°	24" ADS N-12	28"	30"	Hole 30	-2"	P1
Invert 2	808.5'	270°	24" ADS N-12	28"	30"	Hole 30	-2"	P1
Invert 3								
Invert 4								
Invert 5								
Invert 6								
Invert 7								
Invert 8								



**Cast (Int. Dim.) - Interior Dimensions**



Submittal Drawing  
 4/23/2026 1:09:22 PM

SUBMITTAL  
 APPROVED BY: