

Job Name: 25-1675 - Campbellsville Middle School Ph 2	Plant: Beaver Dam, KY	Tech: J. Coppage	
Job Location: Campbellsville, KY 72718	4/23/2026 3:20:22 PM	PC: J. Jarvis	
Contractor: Rising Sun Development Company			

Structure ID: 8

P2 MH060RS24

MH RISER T/G

P5) 24" - CASTING HEIGHT - 7"	0 lb
P4) 24" - GRADE RING F/F - 3"	202 lb
P3) 60" - MH FLAT TOP w/ 24" ECC Hole F/G - 13"	2869 lb
P2) 60" - MH RISER T/G - 24"	2505 lb
P1) 60" - MH BASE T/n - 54"	7151 lb
1) CASTING - HOE MCB-315-B Fr./Bar Grate	255 lb
2) 60" - Conseal CS-102 1.00"	0 lb
2) Hole - 38	0 lb
6) MH Step ML-10-TDS-NCR - 10"	0 lb
Structure Total:	12982 lb



Structure Notes:

1. PER ASTM C-478 SPECIFICATIONS
2. CONCRETE: 4,500 PSI AT 28 DAYS
3. REINFORCEMENT: PER ASTM A615
4. NO STORM INVERT
5. STEPS AT 269 DEGREES
6. HOE MCB-315-B FRAME & BAR GRATE SUPPLIED BY ICAST


Rim: 807.33' Rim to Invert: 8.26' Slack: 0.67" Sump: 2.55" Step Position: 269°

Position	Elev	Angle	Ext. (cw)	Pipe	Pipe OD	Connector	Hole	Horz Size	Up ()	Offset
Invert 1										
Invert 2										
Invert 3										
Invert 4										
Invert 5										
Invert 6										
Invert 7										
Invert 8										

RIGHT-SIDE UP VIEW (int. dimensions)



INSIDE WALL DIMENSIONS



Coating (Int): Coating (Ext):	Seam Up: Tongue Seam Dn: Groove	Wall Thickness: 6" Floor Height: 0"	Height (Int): 24" Height (Ext): 24"	Weight (Net): 2505 lb Volume (Net): 0.64cu.yd
----------------------------------	------------------------------------	--	--	--