



Structure ID: 19+71 CBBI-MOD B1

P2 CMBBIT9-B1RH

CB MED BAR BOX INLET 9B1 RH




- P3) 24" x 120" - CASTING (cast in) - 3"
P2) 24" x 120" - CB MED BAR BOX INLET 9B1 RH - 17"
P1) 24" x 36" - BOX BASE 8inW, 8inF, Variable Ht - 35"
1) 24" x 36" - Conseal CS-102 1.00"
1) Hole - 22

0 lb Structure Notes:
4000 lb -KYTC STATE PROJECT 251007
4712 lb -REINFORCING: #5 BAR @ 12" C/C E.W. (TYP.)
0 lb -CASTING FRAMES & GRATES BY OTHERS.
0 lb -CS-102 BUTYL REQUIRED (SUPPLIED BY ICAST).

8712 lb -KYTC CERTIFICATIONS REQUIRED.

Structure Total: 8712 lb

REINFORCING CUT LIST					
BAR	QTY.	MATERIAL	LENGTH	SHAPE	TOTAL WEIGHT
(A)	3	#5 BAR	34'	STR.	9 LBS.
(B)	2	#5 BAR	48'	STR.	8 LBS.
(C)	3	#5 BAR	132'	STR.	34 LBS.
(D)	7	#5 "L" BAR	30"	BENT	44 LBS.
(E)	8	#5 "U" BAR	42"	BENT	30 LBS.
(F)	5	#5 BAR	100'	STR.	44 LBS.
(G)	8	#5 BAR	12'	STR.	8 LBS.




****KYTC STATE PRODUCT****


THIS DRAWING IS INTENDED TO BE PRINTED IN COLOR.

ATEST REVISION 9-15-25

CONAC 5CA18 ANCHORS
(3 EA. REQUIRED).




PLAN VIEW



ELEVATION VIEW A-A

NOTES

1. CONCRETE: 4,500 PSI KYTC APPROVED.
2. REINFORCING: #5 BAR—SEE CHART (GRADE 60)
3. REINFORCING BARS TO BE TACK WELDED OR TIED.
4. ALL REINFORCING BARS TO BE CONCRETE WITH SETTING BY CONTRACTOR.
5. DRAWING TO BE USED IN CONJUNCTION WITH THE STANDARD SPECIFICATIONS, RDB-230-09, RDB-231-11, RDB-240-02, AND THE STANDARD SPECIFICATIONS FOR ROAD AND BRIDGE CONSTRUCTION.
6. TOP PHASE CAN BE SUPPLIED AS RIGHT HAND, LEFT HAND & SAC. "A" DESIGNATES SAC & "B" DESIGNATES REPAIR STUBS ON BOTH SIDES AS SHOWN.

PRODUCTION WORK ORDER		PRODUCT I.D.: CMBBIT9-B1RH	DESCRIPTION: KYTC MBI B1 TYPE 9 10' TOP PHASE (RIGHT HAND)
		PRODUCT VIEW: RIGHT SIDE UP	CUSTOMER: CLEARY CONSTRUCTION INC.
QUALITY CONTROL CHECKLIST ☐ ALL DIMENSIONS CORRECT. ☐ LIFTERS INSTALLED. ☐ CASTING AT CORRECT LOCATION. ☐ REINFORCING CORRECT. ☐ LIGHT BRUSH FINISH ACCEPTABLE. ☐ KYTC STANDARD THROAT CORRECT. ☐ ALL PATCHWORK ACCEPTABLE		PLANT: BEAVER DAM, KY.	PROJECT: JEFFERSON CO. (251007)
		WEIGHT: 4,325 LBS.	STRUCTURE I.D.: 19+71 MBI B1 (SEC. P2)
		TOP SECTION JOINT: N/A	SALES ORDER NO.: 25-1684
		BOTTOM SECTION JOINT: SHIP-LAP GROOVE	PC: J. JARVIS
		QC CHECK INITIALS:	DRAWING: N. RICHARDS
		DATE: 11/19/25	SCALE: NTS
			PG. 1 of 1

☐ FILE FURTHER INFORMATION TABLE

THIS DRAWING IS THE PROPERTY OF INFRASTRUCTURE PRECAST, INC. ANY USE OR DUPLICATION OF THIS DRAWING WITHOUT PRIOR AUTHORIZATION IS STRICTLY PROHIBITED.

Coating (Int):
Coating (Ext):

Seam Up: Flat
Seam Dn: Flat

Wall Thickness: 8"

Height (Ext): 17"

Weight (Net): 4000 lb
Volume (Net): 0cu.yd