

Job Name: 25-1684P15 KYTC Jefferson Co. Call 200 (251007)
Job Location: I-264 Louisville, Ky.
Contractor: Cleary Construction, Inc.

Plant: Beaver Dam, Ky.

Tech: J. Coppage

8/17/2026 10:44:55 AM

PC: T. Ryan



Structure ID: 127+07 RT JB-B2 INLET 34

P2 BXLD2424FL-24

BX FLAT LID 8inW w/CC 24" HOLE



- P3) 24" - CASTING HEIGHT - 8"
P2) 24" x 24" - BX FLAT LID 8inW w/CC 24" HOLE - 8"
P1) 24" x 24" - BOX BASE 8inW, 8inF, Variable Ht - 28"
1) 24" x 24" - Conseal CS-102 1.00"
1) 24" - Conseal CS-102 1.00"
1) Hole - 22
2) Hole - 18

0 lb
770 lb
2883 lb
0 lb
0 lb
0 lb
0 lb

Structure Total: 3654 lb

Structure Notes:

- KYTC STATE PROJECT 251007
- REINFORCING: #5 BAR @ 12" C/C E.W. (TYP.).
- TYPE 2 FRAME & COVER BY OTHERS.
- CS-102 BUTYL REQUIRED (SUPPLIED BY ICAST).
- KYTC CERTIFICATIONS REQUIRED.



NOTES:

1. MANUFACTURED TO ASTM C-913 (LATEST REVISION).
2. CONCRETE: 4,000 PSI AT 28 DAYS.
3. REINFORCING: #5 BAR @ 6" O.C. E.W. (GRADE 60).

Coating (Int):
Coating (Ext):

Seam Up: Flat
Seam Dn: Flat

Wall Thickness: 8"

Height (Ext): 8"

Weight (Net): 770 lb
Volume (Net): 0.2cu.yd