

Job Name: 25-1684P8 KYTC Jefferson Co. Call 200 (251007)
 Job Location: I-264 Louisville, KY
 Contractor: Cleary Construction, Inc.

Plant: Beaver Dam, Ky.
 4/14/2026 2:59:12 PM

Tech: N. Richards
 PC: J. Jarvis



Structure ID: 5101+40 MBI B2

P1 BX2436-08BVF

BOX BASE 8inW, 8inF, Variable Ht F/n

- P2) 24" x 120" - CB MED BAR BOX INLET 9B2 RH F/F - 17"
- P1) 24" x 36" - BOX BASE 8inW, 8inF, Variable Ht F/n - 27"
- 1) 24" x 36" - Conseal CS-102 1.00"
- 1) 24" x 120" - Conseal CS-102 1.00"
- 1) Hole - 22
- 1) Hole - 8
- 1) Hole - 10

4000 lb
 3818 lb
 0 lb
 0 lb
 0 lb
 0 lb
 0 lb

 7818 lb

Structure Total: 7818 lb

Structure Notes:



- **KYTC STATE PROJECT 251007 (CERTS REQUIRED)**
- 1. PER KYTC MBI TYPE 9 / ASTM C-913 SPECS
- 2. CONCRETE: 4,000 PSI AT 28 DAYS
- 3. REINFORCEMENT: #5 BAR @ 12" C.C. E.W. (GRADE 60) - 2" MIN. REBAR CLEARANCE (TYP)
- 4. NO STORM INVERT
- 5. NO STEPS
- 6. CASTING FRAMES & GRATES SUPPLIED BY OTHERS

Rim: 588.6' Rim to Invert: 4' Slack: 4" Sump: 0" Step Position:


Position	Elev	Angle	Ext. (cw)	Pipe	Pipe OD	Connector	Hole	Horz Size	Up (↓)	Offset
Invert 1	584.6'	90°	24"	18" CMP	19"	Hole 22	22"	22"	-2"	-2"
Invert 2	585.85'	90°	40"	6" HDPE	6.9"	Hole 8	8"	8"	14"	14"
Invert 3	585.85'	270°	26"	6" HDPE	6.9"	Hole 10	10"	10"	13"	0"
Invert 4										
Invert 5										
Invert 6										
Invert 7										
Invert 8										

RIGHT-SIDE UP VIEW (int. dimensions)

UPSIDE-DOWN VIEW (int. dimensions)



INSIDE WALL DIMENSIONS



Coating (Int):
 Coating (Ext):

Seam Up: Flat
 Seam Dn: n/a

Wall Thickness: 8"
 Floor Height: 8"

Height (Int): 27"
 Height (Ext): 35"

Weight (Net): 3818 lb
 Volume (Net): 0.98cu.yd