

Job Name: 25-1684P8 KYTC Jefferson Co. Call 200 (251007)
Job Location: I-264 Louisville, KY
Contractor: Cleary Construction, Inc.

PC: J. Jarvis
 TECH: N. Richards
 Plant: Beaver Dam, Ky.



Structure ID: 5103+25 MBI B2

Spec: KYTC
 Type: MBI TYPE 9
 Size: 24" x 36"

Rim: 588.26'
 Invert: 581.56'
 Rim to Invert: 6.7'

Sump: 0"
 Floor (Top): 581.56'
 Floor Height: 8"


Floor (Bot): 580.893'
 Overall Height: 7.083'
 Slack: 3.4"

Structure Notes:


- KYTC STATE PROJECT 251007
- REINFORCING: #5 BAR @ 12" C/C E.W. (TYP.)
- CASTING FRAMES & GRATES BY OTHERS.
- CS-102 BUTYL REQUIRED (SUPPLIED BY ICAST).
- KYTC CERTIFICATIONS REQUIRED.

STRUCTURE SUMMARY:


P2) 24" x 120" - CB MED BAR BOX INLET 9B2 RH F/F - 17"	4000 lb
P1) 24" x 36" - BOX BASE 8inW, 8inF F/n - 60"	6903 lb
1) 24" x 36" - Conseal CS-102 1.00"	0 lb
1) 24" x 120" - Conseal CS-102 1.00"	0 lb
2) Hole - 22"	0 lb
2) Hole - 10"	0 lb
Structure Total:	10903 lb



Position	Elev	Angle	Pipe	Pipe OD	Hole	Connector	Up (L)	Ref
Rim	588.26'							
Reducer								
Invert 1	581.56'	90°	18" CMP	19"	22"	Hole 22	-2"	P1
Invert 2	581.56'	270°	18" CMP	19"	22"	Hole 22	-2"	P1
Invert 3	585.48'	90°	6" HDPE	6.9"	10"	Hole 10	45"	P1
Invert 4	585.48'	270°	6" HDPE	6.9"	10"	Hole 10	45"	P1
Invert 5								
Invert 6								
Invert 7								
Invert 8								



Cast (Int. Dim.) - Interior Dimensions



Submittal Drawing
 4/14/2026 2:36:03 PM

SUBMITTAL
 APPROVED BY: