

Job Name: 25-1784 ASTRAZENECA WASTE WATER REUSE
 Job Location: MOUNT VERNON, IN
 Contractor: Koberstein Contracting, Inc.

Plant: BEAVER DAM
 11/3/2025 3:37:55 PM

Tech: J. COPPAGE
 PC: E. BRADLEY



Structure ID: WET WELL

P3 MH072RS36CDARED

MH RISER w/ConBlock-CDA Red

- P5) 30" x 48" - CASTING HEIGHT - 0"
- P4) 72" - MH FLAT TOP w/30"x48" Hatch w/ConBlock-CDA Red - 15"
- P3) 72" - MH RISER w/ConBlock-CDA Red - 36"
- P2) 72" - MH RISER Custom Ht. w/ConBlock-CDA Red - 71.5"
- P1) 72" - MH BASE w/ConBlock-CDA Red - 72"
- 1) This Structure Includes a Cast-in Item
- 1) JOINT WRAP - 0.065"x12"x50' CONSEAL CS212
- 1) JOINT WRAP PRIMER - CONSEAL CS-75 (1 gal.)
- 1) 72" - Conseal CS-231 1.25" (Double)
- 1) 30" x 48" - Conseal CS-231 1.25" (Double)
- 2) PSX - 8QRS DD
- 2) PSX - 16M NYLO



- Structure Notes:**
1. PER ASTM C478 SPECIFICATIONS.
 2. CONCRETE = 4,000 PSI AT 28 DAYS.
 3. REINFORCING PER ASTM A615 (GRADE 60).
 - TOP SLAB (As .31) #5 BARS AT 6" C.C.E.W.
 - RISER/WALLS (As .12)
 - FLOOR (As .37) #5 BARS AT 10" C.C.E.W.

Structure Total: 33847 lb


Rim: 382.54' Rim to Invert: 8.25' Slack: -0.22" Sump: 95.28" Step Position:

Position	Elev	Angle	Ext. (cw)	Pipe	Pipe OD	Connector	Hole	Horz Size	Up (L)	Offset
Invert 1										
Invert 2										
Invert 3										
Invert 4										
Invert 5										
Invert 6										
Invert 7										
Invert 8										

RIGHT-SIDE UP VIEW (int. dimensions)



INSIDE WALL DIMENSIONS



Coating (Int): Coating (Ext):	Seam Up: Tongue Seam Dn: Groove	Wall Thickness: 7" Floor Height: 0"	Height (Int): 36" Height (Ext): 36"	Weight (Net): 5248 lb Volume (Net): 1.34cu.yd
----------------------------------	------------------------------------	--	--	--