

Job Name: 25-1922 - Reynold's Farm
 Job Location: Goodlettsville, TN 37072
 Contractor: Josh King Excavation

Plant: Beaver Dam, KY
 1/8/2026 9:00:33 AM

Tech: K. Cardwell
 PC: J. Jarvis



Structure ID: B10

P1 BX2828-06BA36

BOX BASE 6inW, 6inF F/n

- P2) 28" x 28" - CASTING HEIGHT - 7.50"
- P1) 28" x 28" - BOX BASE 6inW, 6inF F/n - 36"
- 1) CASTING - JBS 3300 SET (F/G/H)
- 1) 28" x 28" - Conseal CS-102 1.00"
- 1) Hole - 18
- 1) Hole - 12

0 lb
 3057 lb
 500 lb
 0 lb
 0 lb
 0 lb

 Structure Total: 3557 lb



- Structure Notes:**
1. PER ASTM C-913 SPECS
 2. CONCRETE: 4,000 PSI AT 28 DAYS
 3. REINFORCEMENT: #4 BAR @ 12" C.C. E.W. (GRADE 60) - 2" MIN. REBAR CLEARANCE (TYP)
 4. JBS 3300 FRAME, GRATE, & CURB HOOD SUPPLIED BY ICAST

Rim: 529' Rim to Invert: 3.5' Slack: 0.5" Sump: 2" Step Position:


Position	Elev	Angle	Ext. (cw)	Pipe	Pipe OD	Connector	Hole	Horz Size	Up ()	Offset
Invert 1	525.5'	35°	24.238"	12" RCP B WALL	16"	Hole 18	18"	21.974"	0"	-8"
Invert 2	526.9'	180°	20"	8" HDPE	9.1"	Hole 12	12"	12"	18.25"	0"
Invert 3										
Invert 4										
Invert 5										
Invert 6										
Invert 7										
Invert 8										

RIGHT-SIDE UP VIEW (int. dimensions)

UPSIDE-DOWN VIEW (int. dimensions)



INSIDE WALL DIMENSIONS



Coating (Int):
 Coating (Ext):

Seam Up: Flat
 Seam Dn: n/a

Wall Thickness: 6"
 Floor Height: 6"

Height (Int): 36"
 Height (Ext): 42"

Weight (Net): 3057 lb
 Volume (Net): 0.78cu.yd