

Job Name: 25-1922 - Reynold's Farm  
 Job Location: Goodlettsville, TN 37072  
 Contractor: Josh King Excavation

Plant: Beaver Dam, KY  
 10/2/2025 8:39:26 AM

Tech: K. Cardwell  
 PC: J. Jarvis



**Structure ID: C2 (CB)**

**P1 MH048BA66**

**MH BASE T/n**

- P3) 30" x 30" - CASTING HEIGHT - 6"
- P2) 48" - MH FLAT TOP w/30"x30" Hole F/G - 12"
- P1) 48" - MH BASE T/n - 66"
- 1) CASTING - JBS 4310 F/G
- 1) 48" - Conseal CS-102 1.00"
- 1) 30" x 30" - Conseal CS-102 1.00"
- 1) Hole - 22
- 5) MH Step ML-10-TDS-NCR - 10"

0 lb  
 1350 lb  
 5776 lb  
 500 lb  
 0 lb  
 0 lb  
 0 lb  
 0 lb  
 Structure Total: 7626 lb



- Structure Notes:**
1. PER ASTM C-478 SPECS
  2. CONCRETE: 4,000 PSI AT 28 DAYS
  3. REINFORCEMENT: PER ASTM A615
  4. STEPS AT 180 DEGREES
  5. JBS 4310 FRAME & GRATE SUPPLIED BY ICAST

Rim: 525.83' Rim to Invert: 6.83' Slack: 0.21" Sump: 2.25" Step Position: 180°


Position	Elev	Angle	Ext. (cw)	Pipe	Pipe OD	Connector	Hole	Horz Size	Up ( )	Offset
Invert 1	519'	11°	5.568"	15" RCP B WALL	19.5"	Hole 22	22"	22.854"	0"	0"
Invert 2										
Invert 3										
Invert 4										
Invert 5										
Invert 6										
Invert 7										
Invert 8										

RIGHT-SIDE UP VIEW (int. dimensions)

UPSIDE-DOWN VIEW (int. dimensions)



INSIDE WALL DIMENSIONS



Coating (Int):  
 Coating (Ext):

Seam Up: Tongue  
 Seam Dn: n/a

Wall Thickness: 5"  
 Floor Height: 6"

Height (Int): 66"  
 Height (Ext): 72"

Weight (Net): 5776 lb  
 Volume (Net): 1.48cu.yd