





TOP VIEW
(UPSIDE-DOWN)




FRONT VIEW
(UPSIDE-DOWN)


NOTES:

- PER ASTM C-890-13 LATEST REVISION.
(H-20 TRAFFIC RATED DESIGN)
- CONCRETE = 5,000 PSI AT 28 DAYS.
- REINFORCING PER ASTM A615 (GRADE 60).
- POUR BASE, THEN POUR INTERIOR BAFFLE-SEE PAGE 2 OF 2.
- WEIGHT WITHOUT WEIR WALL 19,845 LBS
- WEIGHT WITH WEIR WALL 20,925 LBS

PRODUCTION WORK ORDER		PRODUCT I.D.: BX072144-06W06F-VFFT	DESCRIPTION: 72" X 144" X 48" TALL 1,500 GAL GREASE TRAP BASE			
	QUALITY CONTROL CHECKLIST ☐ ALL DIMENSIONS CORRECT. ☐ LIFTERS INSTALLED. ☐ HOLE LOCATION(S) CORRECT. ☐ REINFORCING CORRECT. ☐ BAFFLE POURED CORRECTLY. ☐ BOOTS & BANDS INSTALLED. ☐ SURFACE QUALITY ACCEPTABLE.	PRODUCT VIEW: RIGHT SIDE UP	CUSTOMER: CORE & MAIN LP			
		PLANT: BEAVER DAM, KY.	PROJECT: GUTHRIE KY. CONVENIENCE STORE			
		WEIGHT: 19,845 LBS.	STRUCTURE: 1,500 GAL GREASE TRAP			
		TOP SECTION JOINT: N/A	ORDER NO: 25-2023			
		BASE SECTION JOINT: N/A	PC: T. LEWIS	DRAWING: S. FELLETTER		
		QC CHECK INITIALS:	DATE: 05/05/26	SCALE: NTS	PG. 1 of 2	



TOP VIEW
(RIGHT-SIDE UP)



FRONT VIEW
(RIGHT-SIDE UP)

NOTES:

1. PER ASTM C-890-13 LATEST REVISION.
(H-20 TRAFFIC RATED DESIGN)
2. CONCRETE = 5,000 PSI AT 28 DAYS.
3. REINFORCING PER ASTM A615 (GRADE 60).
5. THIS DRAWING USED FOR POURING BAFFLE WALL.
6. WEIGHT WITHOUT WEIR WALL 19,845 LBS
WEIGHT WITH WEIR WALL 20,925 LBS

PRODUCTION WORK ORDER		PRODUCT I.D.: BW	DESCRIPTION: 72" X 144" X 48" TALL 1,500 GAL GT BASE ADD BAFFLE		
	QUALITY CONTROL CHECKLIST	PRODUCT VIEW: RIGHT SIDE UP	CUSTOMER: CORE & MAIN LP		
	☐ ALL DIMENSIONS CORRECT. ☐ LIFTERS INSTALLED. ☐ HOLE LOCATION(S) CORRECT. ☐ REINFORCING CORRECT. ☐ BAFFLE POURED CORRECTLY. ☐ HOLE INSTALLED IN BAFFLE. ☐ BAFFLE SEALED TO WALLS CS-231.	PLANT: BEAVER DAM, KY.	PROJECT: GUTHRIE KY. CONVENIENCE STORE		
		WEIGHT: 1,080 LBS.	STRUCTURE: 1,500 GAL GREASE TRAP		
		TOP SECTION JOINT: N/A	ORDER NO: 25-2023		
		BASE SECTION JOINT: N/A	PC: T. LEWIS		DRAWING: S. FELLETTTER
		QC CHECK INITIALS:	DATE: 05/05/26	SCALE: NTS	PG. 2 of 2