

Job Name: 25-2290 - AutoZone 9385  
 Job Location: Louisville, KY  
 Contractor: Cornell Harbison Excavating

Plant: 100  
 2/23/2026 10:31:04 AM

Tech: J. Horsley - A  
 PC: Jay Ross Jarvis



**Structure ID: 1-2**

**P1 MH048BA60**

**MH BASE T/n**

- P3) 24" x 24" - CASTING HEIGHT - 4"
- P2) 48" - MH FLAT TOP w/24"x24" Hole F/G - 12"
- P1) 48" - MH BASE T/n - 60"
- 1) 48" - Conseal CS-102 1.00"
- 1) 24" x 24" - Conseal CS-102 1.00"
- 1) Hole - 30
- 1) Hole - 16
- 1) Hole - 24
- 5) MH Step ML-10-TDS-NCR - 10"

0 lb  
 1500 lb  
 4923 lb  
 0 lb  
 0 lb  
 0 lb  
 0 lb  
 0 lb  
 0 lb  
 0 lb  
 Structure Total: 6423 lb



- Structure Notes:**
1. PER ASTM C-478 SPECIFICATIONS
  2. CONCRETE: 4,000 PSI AT 28 DAYS
  3. REINFORCEMENT: PER ASTM A615
  4. NO STORM INVERT
  5. STEPS AT 270 DEGREES
  6. HOE 280T FRAME & GRATE SUPPLIED BY OTHERS

Rim: 456.37' Rim to Invert: 6.25' Slack: 0.9" Sump: 1.9" Step Position: 0°


Position	Elev	Angle	Ext. (cw)	Pipe	Pipe OD	Connector	Hole	Horz Size	Up ( )	Offset
Invert 1	450.12'	0°	0"	24" HDPE	27.8"	Hole 30	30"	32.406"	0"	0"
Invert 2	451.12'	70°	35.375"	12" HDPE	14.5"	Hole 16	16"	16.312"	12.625"	0"
Invert 3	450.62'	164°	83"	18" HDPE	21.2"	Hole 24	24"	25.133"	6.25"	0"
Invert 4										
Invert 5										
Invert 6										
Invert 7										
Invert 8										

RIGHT-SIDE UP VIEW (int. dimensions)

UPSIDE-DOWN VIEW (int. dimensions)



INSIDE WALL DIMENSIONS



Coating (Int):  
 Coating (Ext):

Seam Up: Tongue  
 Seam Dn: n/a

Wall Thickness: 5"  
 Floor Height: 6"

Height (Int): 60"  
 Height (Ext): 66"

Weight (Net): 4923 lb  
 Volume (Net): 1.26cu.yd