

Job Name: 25-2290 - AutoZone 9385 Job Location: Louisville, KY Contractor: Cornell Harbison Excavating	Plant: 100 2/23/2026 10:31:10 AM	Tech: J. Horsley - A PC: Jay Ross Jarvis	
--	-------------------------------------	---	--

Structure ID: 2-3

P1 BX2430-08BA30

BOX BASE 8inW, 8inF F/n

- P2) 24" x 30" - CASTING HEIGHT - 6"
- P1) 24" x 30" - BOX BASE 8inW, 8inF F/n - 30"
- 1) 24" x 30" - Conseal CS-102 1.00"
- 1) Hole - 16

0 lb
3911 lb
0 lb
0 lb

Structure Total: 3911 lb



- Structure Notes:
1. PER ASTM C-913 SPECIFICATIONS
 2. CONCRETE: 4,000 PSI AT 28 DAYS
 3. REINFORCEMENT: #5 BAR @ 12" C.C. E.W. (GRADE 60) - 2" MIN. REBAR CLEARANCE (TYP)
 4. NO STORM INVERT
 5. NO STEPS
 6. HOE 360 FRAME, GRATE, & CURB HOOD SUPPLIED BY OTHERS

Rim: 455.33' Rim to Invert: 3' Slack: 0" Sump: 0" Step Position:


Position	Elev	Angle	Ext. (cw)	Pipe	Pipe OD	Connector	Hole	Horz Size	Up ()	Offset
Invert 1	452.33'	250°	20"	12" HDPE	14.5"	Hole 16	16"	17.027"	-1.25"	4"
Invert 2										
Invert 3										
Invert 4										
Invert 5										
Invert 6										
Invert 7										
Invert 8										

RIGHT-SIDE UP VIEW (int. dimensions)

UPSIDE-DOWN VIEW (int. dimenions)



INSIDE WALL DIMENSIONS



Coating (Int): Coating (Ext):	Seam Up: Flat Seam Dn: n/a	Wall Thickness: 8" Floor Height: 8"	Height (Int): 30" Height (Ext): 38"	Weight (Net): 3911 lb Volume (Net): 1cu.yd
----------------------------------	-------------------------------	--	--	---