

Job Name: 25-2290 - AutoZone 9385	Plant: 100	Tech: J. Horsley - A
Job Location: Louisville, KY	2/23/2026 10:31:11 AM	PC: Jay Ross Jarvis
Contractor: Cornell Harbison Excavating		



Structure ID: 3-2

P1 BX2424-08BAVF

BOX BASE 8inW, 8inF, Variable Ht F/n

P2) 24" x 24" - CASTING HEIGHT - 4"
P1) 24" x 24" - BOX BASE 8inW, 8inF, Variable Ht F/n - 34"
1) 24" x 24" - Conseal CS-102 1.00"
2) Hole - 16

0 lb
3726 lb
0 lb
0 lb

Structure Total: 3726 lb



- Structure Notes:
- PER ASTM C-913 SPECIFICATIONS
 - CONCRETE: 4,000 PSI AT 28 DAYS
 - REINFORCEMENT: #5 BAR @ 12" C.C. E.W. (GRADE 60) - 2" MIN. REBAR CLEARANCE (TYP)
 - NO STORM INVERT
 - NO STEPS
 - HOE 280T FRAME & GRATE SUPPLIED BY OTHERS

Rim: 457.53' Rim to Invert: 3.22' Slack: 0.64" Sump: 0" Step Position:


Position	Elev	Angle	Ext. (cw)	Pipe	Pipe OD	Connector	Hole	Horz Size	Up ()	Offset
Invert 1	454.31'	0°	20"	12" HDPE	14.5"	Hole 16	16"	16"	-1.25"	0"
Invert 2	454.31'	180°	20"	12" HDPE	14.5"	Hole 16	16"	16"	-1.25"	0"
Invert 3										
Invert 4										
Invert 5										
Invert 6										
Invert 7										
Invert 8										

RIGHT-SIDE UP VIEW (int. dimensions)

UPSIDE-DOWN VIEW (int. dimensions)



INSIDE WALL DIMENSIONS



Coating (Int): Coating (Ext):	Seam Up: Flat Seam Dn: n/a	Wall Thickness: 8" Floor Height: 8"	Height (Int): 34" Height (Ext): 42"	Weight (Net): 3726 lb Volume (Net): 0.95cu.yd
----------------------------------	-------------------------------	--	--	--