

**Job Name: 25-2290 - AutoZone 9385**  
**Job Location: Louisville, KY**  
**Contractor: Cornell Harbison Excavating**

PC: Jay Ross Jarvis  
 TECH: J. Horsley - A  
 Plant: 100



Structure ID: 3-2  
 Spec: Storm  
 Type: BX 8inW, 8inF  
 Size: 24" x 24"

Rim: 457.53'  
 Invert: 454.31'  
 Rim to Invert: 3.22'


Sump: 0"  
 Floor (Top): 454.31'  
 Floor Height: 8"

Floor (Bot): 453.643'  
 Overall Height: 3.833'  
 Slack: 0.64"


- Structure Notes:**  
 PLAN LABEL: CB 3-2  
 1. PER ASTM C-913 SPECIFICATIONS  
 2. CONCRETE: 4,000 PSI AT 28 DAYS  
 3. REINFORCEMENT: #5 BAR @ 12" C.C. E.W. (GRADE 60)  
 4. NO STORM INVERT  
 5. NO STEPS  
 6. HOE 280T FRAME & GRATE SUPPLIED BY OTHERS

**STRUCTURE SUMMARY:**  
 P2) 24" x 24" - CASTING HEIGHT - 4"  
 P1) 24" x 24" - BOX BASE 8inW, 8inF, Variable Ht F/n - 34"  
 1) 24" x 24" - Conseal CS-102 1.00"  
 2) Hole - 16


0 lb  
 3726 lb  
 0 lb  
 0 lb  
 -----  
 Structure Total: 3726 lb



Position	Elev	Angle	Pipe	Pipe OD	Hole	Connector	Up (")	Ref
Rim	457.53'							
Reducer								
Invert 1	454.31'	0°	12" HDPE	14.5"	16"	Hole 16	-1.25"	P1
Invert 2	454.31'	180°	12" HDPE	14.5"	16"	Hole 16	-1.25"	P1
Invert 3								
Invert 4								
Invert 5								
Invert 6								
Invert 7								
Invert 8								



**Cast (Int. Dim.) - Interior Dimensions**



Submittal Drawing  
 2/23/2026 9:01:56 AM

SUBMITTAL  
 APPROVED BY: