

Job Name: 25-2290 - AutoZone 9385
Job Location: Louisville, KY
Contractor: Cornell Harbison Excavating

PC: Jay Ross Jarvis
 TECH: J. Horsley - A
 Plant: 100



Structure ID: 4-3
 Spec: Storm
 Type: BX 8inW, 8inF
 Size: 24" x 24"

Rim: 459.5'
 Invert: 456'
 Rim to Invert: 3.5'

Sump: 0"
 Floor (Top): 456'
 Floor Height: 8"


Floor (Bot): 455.333'
 Overall Height: 4.167'
 Slack: 0"

- Structure Notes:**
 PLAN LABEL: MH 4-3
 1. PER ASTM C-913 SPECIFICATIONS
 2. CONCRETE: 4,000 PSI AT 28 DAYS
 3. REINFORCEMENT: #5 BAR @ 12" C.C. E.W. (GRADE 60)
 4. NO STORM INVERT
 5. NO STEPS
 6. HOE 280T FRAME & GRATE SUPPLIED BY OTHERS


STRUCTURE SUMMARY:
 P2) 24" x 24" - CASTING HEIGHT - 4"
 P1) 24" x 24" - BOX BASE 8inW, 8inF, Variable Ht F/n - 38"
 1) 24" x 24" - Conseal CS-102 1.00"
 1) Hole - 20

0 lb
 4128 lb
 0 lb
 0 lb


 Structure Total: 4128 lb



Position	Elev	Angle	Pipe	Pipe OD	Hole	Connector	Up (L)	Ref
Rim	459.5'							
Reducer								
Invert 1	456'	0°	15" HDPE	17.6"	20"	Hole 20	-1.25"	P1
Invert 2								
Invert 3								
Invert 4								
Invert 5								
Invert 6								
Invert 7								
Invert 8								



Cast (Int. Dim.) - Interior Dimensions



Submittal Drawing
 2/23/2026 9:02:00 AM

SUBMITTAL
 APPROVED BY: