




Job Name: 25-2471 - Texas Roadhouse Job Location: Danville, KY Contractor: McCain Bros Excavating LLC					Plant: 100 6/11/2026 11:36:19 AM		Tech: Jared - F PC: M. Sullivan					
Structure ID: 3												
P2		MH060RSVF		MH RISER Custom Ht T/G								
P4) 24" - CASTING HEIGHT - 7" P3) 60" - MH FLAT TOP w/ 24" ECC Hole F/G - 13" P2) 60" - MH RISER Custom Ht T/G - 31" P1) 60" - MH BASE T/n - 72" 2) 60" - Conseal CS-102 1.00" 1) 24" - Conseal CS-102 1.00" 2) Hole - 30 1) DOGHOUSE INVRTD - 30"x29" 4) MH Step ML-10-TDS-NCR - 10"					0 lb 2869 lb 3236 lb 9101 lb 0 lb 0 lb 0 lb 0 lb 0 lb 0 lb 15206 lb		Structure Notes: . 1. PER ASTM C478 SPECIFICATIONS. 2. CONCRETE = 4,000 PSI AT 28 DAYS. 3. NO INVERT CHANNEL. 4. (7" TALL CASTING BY OTHERS) REINFORCING PER ASTM A615 (GRADE 60). - TOP SLAB (As .62) #5 BARS AT 6" C.C.E.W.. - RISER/WALLS (As .18) - FLOOR (As .37) #5 BARS AT 10" C.C.E.W.					
Rim: 1036'					Rim to Invert: 8.31'		Slack: 0.72"		Sump: 24"		Step Position: 90°	
Position	Elev	Angle	Ext. (cw)	Pipe	Pipe OD	Connector	Hole	Horz Size	Up (_)	Offset		
Invert 1												
Invert 2												
Invert 3												
Invert 4												
Invert 5												
Invert 6												
Invert 7												
Invert 8												
RIGHT-SIDE UP VIEW (int. dimensions)												
												
INSIDE WALL DIMENSIONS												
												
Coating (Int): Coating (Ext):				Seam Up: Tongue Seam Dn: Groove		Wall Thickness: 6" Floor Height: 0"		Height (Int): 31" Height (Ext): 31"		Weight (Net): 3236 lb Volume (Net): 0.83cu.yd		