



Job Name: 25-2471 - Texas Roadhouse Job Location: Danville, KY Contractor: McCain Bros Excavating LLC		Plant: 100 6/12/2026 3:42:23 PM	Tech: Jared - F PC: M. Sullivan		
Structure ID: 8					
P3 MH048CN42		ECC CONE w/ 24" HOLE F/G			
P4) 24" - CASTING HEIGHT - 7" P3) 48" - ECC CONE w/ 24" HOLE F/G - 42" P2) 84" - MH Trans. Slab - 48" Hole ECC T/G - 17" P1) 84" - MH BASE T/n - 78" 1) 84" - Conseal CS-102 1.00" 1) 48" - Conseal CS-102 1.00" 1) 24" - Conseal CS-102 1.00" 2) Hole - 38 1) Hole - 24 12) MH Step ML-10-TDS-NCR - 10"		0 lb 3200 lb 5869 lb 18528 lb 0 lb 0 lb 0 lb 0 lb 0 lb 0 lb 0 lb ----- 27596 lb		Structure Notes: . 1. PER ASTM C478 SPECIFICATIONS. 2. CONCRETE = 4,000 PSI AT 28 DAYS. 3. NO INVERT CHANNEL. 4. (7" TALL CASTING BY OTHERS) . REINFORCING PER ASTM A615 (GRADE 60). - CONE (As .12) - TRANS. SLAB (As .62) #5 BARS AT 6" C.C.E.W.. - RISER/WALLS (As .24) - FLOOR (As .47) #5 BARS AT 8" C.C.E.W.	
					
					
Coating (Int): Coating (Ext):		Seam Up: Flat Seam Dn: Groove	Wall Thickness: 5"	Height (Ext): 42"	Weight (Net): 3200 lb Volume (Net): 0.5cu.yd