

Job Name: 25-2621 Night Hawk Place Lot 2G Storm
 Job Location: Radcliff, KY
 Contractor: City of Radcliff

Plant: Beaver Dam

Tech: C.Russ

11/13/2025 1:45:37 PM

PC: J.Jarvis



Structure ID: SCI C

P2 MH048LD07-24X36RECT


MH FLAT TOP w/24"x36" Hole

- P3) 24" x 36" - CASTING HEIGHT - 6"
- P2) 48" - MH FLAT TOP w/24"x36" Hole - 7"
- P1) 48" - MH BASE Custom Ht - 33"
- 1) 48" - SGL 1"x14.5' Butyl (2x)
- 2) Hole - 26
- 1) Hole - 20
- 3) MH Step ML-10-TDS-NCR - 10"

- Structure Notes:
- 1. PER ASTM C478 SPECIFICATIONS.
 - 2. CONCRETE = 4,000 PSI AT 28 DAYS.
 - 3. HOE 525 BY ICAST
 - 3. REINFORCING PER ASTM A615 (GRADE 60).
 - TOP SLAB (As .62) #5 BARS AT 6" C.C.E.W..
 - RISER/WALLS (As .12)
 - FLOOR (As .31) #5 BARS AT 12" C.C.E.W.

0 lb
 1044 lb
 3034 lb
 0 lb
 0 lb
 0 lb
 0 lb

 Structure Total: 4078 lb



48" - MH FLAT TOP w/24"x36" Hole - 7" - (P2)

Coating (Int): Coating (Ext):	Seam Up: Flat Seam Dn: Flat	Wall Thickness: 5"	Height (Ext): 7"	Weight (Net): 1044 lb Volume (Net): 0.27cu.yd
----------------------------------	--------------------------------	--------------------	------------------	--