

Structure ID: B9

P1 BX3232-08B48

BOX BASE 8inW, 8inF T/n

- P3) 32" x 32" - CASTING HEIGHT - 0"
- P2) 32" x 32" - BOX RISER 8inW F/G - 24"
- P1) 32" x 32" - BOX BASE 8inW, 8inF T/n - 48"
- 2) 32" x 32" - Conseal CS-102 1.00"
- 1) Hole - 32
- 1) Hole - 10

0 lb
 2578 lb
 6245 lb
 0 lb
 0 lb
 0 lb

 Structure Total: 8822 lb

Structure Notes:
 1. PER ASTM C913 SPECIFICATIONS.
 2. CONCRETE = 4,000 PSI AT 28 DAYS.
 3. NO INVERT CHANNEL.
 4. FLAT TRASH RACK BY OTHERS.




REINFORCING PER ASTM A615 (GRADE 60).
 - WALLS (As .12) #5 BARS AT 12" C.C.E.W.
 - FLOOR (As .12) #5 BARS AT 12" C.C.E.W.

Rim: 508' Rim to Invert: 6' Slack: 0" Sump: 0" Step Position:


Position	Elev	Angle	Ext. (cw)	Pipe	Pipe OD	Connector	Hole	Horz Size	Up ()	Offset
Invert 1	502'	0°	24"	24" RCP B WALL	30"	Hole 32	32"	32"	-3"	0"
Invert 2	502'	180°	24"	6" HDPE (perf pipe)	6.9"	Hole 10	10"	10"	-0.45"	0"
Invert 3										
Invert 4										
Invert 5										
Invert 6										
Invert 7										
Invert 8										

RIGHT-SIDE UP VIEW (int. dimensions)

UPSIDE-DOWN VIEW (int. dimensions)



INSIDE WALL DIMENSIONS



Coating (Int): Coating (Ext):	Seam Up: Tongue Seam Dn: n/a	Wall Thickness: 8" Floor Height: 8"	Height (Int): 48" Height (Ext): 56"	Weight (Net): 6245 lb Volume (Net): 1.6cu.yd
----------------------------------	---------------------------------	--	--	---