

Job Name: 25-2649 - The Laurel Assisted Living Facility  
 Job Location: Bowling Green, KY  
 Contractor: Infinity Pipeline, Inc.

Plant: Beaver Dam, KY  
 11/3/2025 3:19:16 PM

Tech: K. Cardwell  
 PC: E. Bradley



**Structure ID: LS-38**

**P2 BX024024-08LD08S**



**CB FLAT TOP 8"W w/18"x18" F/G F/F**

- P3) 18" x 18" - CASTING HEIGHT - 4"
- P2) 24" x 24" - CB FLAT TOP 8"W w/18"x18" F/G F/F - 8"
- P1) 24" x 24" - BOX BASE 8inW, 8inF F/n - 54"
- 1) CASTING - HOE 165A F/G
- 1) 24" x 24" - Conseal CS-102 1.00"
- 1) 18" x 18" - Conseal CS-102 1.00"
- 1) Hole - 24

0 lb  
 857 lb  
 5486 lb  
 138 lb  
 0 lb  
 0 lb  
 0 lb  
 -----  
 6481 lb

Structure Total:

- Structure Notes:
1. PER ASTM C-913 SPECS
  2. CONCRETE: 4,500 PSI AT 28 DAYS
  3. REINFORCEMENT: #5 BAR @ 6" C.C. E.W. (GRADE 60) - 2" MIN. REBAR CLEARANCE (TYP)
  4. HOE 165-A FRAME & GRATE SUPPLIED BY ICAST
  5. LIFTERS: 4 EA. WRA016 CONAC WIRE ROPE ANCHORS FOR PLANT & FIELD HANDLING



Coating (Int): Coating (Ext):	Seam Up: Flat Seam Dn: Flat	Wall Thickness: 8"	Height (Ext): 8"	Weight (Net): 857 lb Volume (Net): 0.22cu.yd
----------------------------------	--------------------------------	--------------------	------------------	---