

Job Name: 25-2686 - Whispering Oaks Subdivision
Job Location: Jeffersonville, IN
Contractor: Cornell Harbison Excavating

PC: J. Jarvis
 TECH: J. Horsley - F
 Plant: 100



Structure ID: 2
 Spec: INDOT
 Type: INLET TYPE J
 Size: 24" x 36"

Rim: 501.16'
 Invert: 497.11'
 Rim to Invert: 4.05'

Sump: 0"
 Floor (Top): 497.11'
 Floor Height: 8"

Floor (Bot): 496.443'
 Overall Height: 4.656'
 Slack: 0.726"


- Structure Notes:**
1. PER INDOT INLET TYPE J / ASTM C-913 SPECIFICATIONS
 2. CONCRETE: 4,000 PSI AT 28 DAYS
 3. REINFORCEMENT: #5 BAR @ 12" C.C. E.W. (GRADE 60)
 4. NO STORM INVERT
 5. NO STEPS
 6. EJ 7505 FRAME, GRATE, & CURB HOOD SUPPLIED BY OTHERS

STRUCTURE SUMMARY:


P2) 24" x 36" - CASTING HEIGHT - 7.875
 P1) 24" x 36" - BOX BASE 8inW, 8inF, Variable Ht F/n - 40"
 1) 24" x 36" - Conseal CS-102 1.00"
 1) Hole - 32
 1) Hole - 20

0 lb
 4705 lb
 0 lb
 0 lb
 0 lb


 Structure Total: 4705 lb



Position	Elev	Angle	Pipe	Pipe OD	Hole	Connector	Up (")	Ref
Rim	501.16'							
Reducer								
Invert 1	497.11'	90°	24" RCP B WALL	30"	32"	Hole 32	-3"	P1
Invert 2	497.11'	335°	15" HDPE	17.6"	20"	Hole 20	-1.3"	P1
Invert 3								
Invert 4								
Invert 5								
Invert 6								
Invert 7								
Invert 8								



Cast (Int. Dim.) - Interior Dimensions



Submittal Drawing
 2/6/2026 9:34:43 AM

SUBMITTAL
 APPROVED BY: