

Job Name: 25-2686 - Whispering Oaks Subdivision
Job Location: Jeffersonville, IN
Contractor: Cornell Harbison Excavating

PC: J. Jarvis
 TECH: J. Horsley - F
 Plant: 100



Structure ID: 21
 Spec: Storm
 Type: BX 8inW, 8inF
 Size: 24" x 36"

Rim: 502.42'
 Invert: 499.42'
 Rim to Invert: 3'

Sump: 0"
 Floor (Top): 499.42'
 Floor Height: 8"

Floor (Bot): 498.753'
 Overall Height: 3.656'
 Slack: 0.126"


- Structure Notes:**
1. PER ASTM C-913 SPECIFICATIONS
 2. CONCRETE: 4,000 PSI AT 28 DAYS
 3. REINFORCEMENT: #5 BAR @ 12" C.C. E.W. (GRADE 60)
 4. NO STORM INVERT
 5. NO STEPS
 6. EJ 7505 FRAME, GRATE, & CURB HOOD SUPPLIED BY OTHERS

STRUCTURE SUMMARY:


P2) 24" x 36" - CASTING HEIGHT - 7.875
 P1) 24" x 36" - BOX BASE 8inW, 8inF, Variable Ht F/n - 28"
 1) 24" x 36" - Conseal CS-102 1.00"
 1) Hole - 20

0 lb
 3955 lb
 0 lb
 0 lb


 Structure Total: 3955 lb



Position	Elev	Angle	Pipe	Pipe OD	Hole	Connector	Up (")	Ref
Rim	502.42'							
Reducer								
Invert 1	499.42'	315°	12" RCP B WALL	16"	20"	Hole 20	-2"	P1
Invert 2								
Invert 3								
Invert 4								
Invert 5								
Invert 6								
Invert 7								
Invert 8								



Cast (Int. Dim.) - Interior Dimensions



Submittal Drawing
 2/6/2026 9:34:46 AM

SUBMITTAL
 APPROVED BY: