

Structure ID: 3

P1 BX2436-08BA42

BOX BASE 8inW, 8inF F/n

- P2) 24" x 36" - CASTING HEIGHT - 7.875
- P1) 24" x 36" - BOX BASE 8inW, 8inF F/n - 42"
- 1) 24" x 36" - Conseal CS-102 1.00"
- 1) Hole - 30
- 1) Hole - 32

	0 lb
	4667 lb
	0 lb
	0 lb
	0 lb
Structure Total:	4667 lb




- Structure Notes:
1. PER INDOT INLET TYPE J / ASTM C-913 SPECIFICATIONS
 2. CONCRETE: 4,000 PSI AT 28 DAYS
 3. REINFORCEMENT: #5 BAR @ 12" C.C. E.W. (GRADE 60) - 2" MIN. REBAR CLEARANCE (TYP)
 4. NO STORM INVERT
 5. NO STEPS
 6. EJ 7505 FRAME, GRATE, & CURB HOOD SUPPLIED BY OTHERS

Rim: 501.16' Rim to Invert: 4.19' Slack: 0.406" Sump: 0" Step Position:


Position	Elev	Angle	Ext. (cw)	Pipe	Pipe OD	Connector	Hole	Horz Size	Up ()	Offset
Invert 1	496.97'	90°	26"	24" HDPE	27.8"	Hole 30	30"	30"	-1.9"	0"
Invert 2	496.97'	270°	26"	24" RCP B WALL	30"	Hole 32	32"	32"	-3"	0"
Invert 3										
Invert 4										
Invert 5										
Invert 6										
Invert 7										
Invert 8										

RIGHT-SIDE UP VIEW (int. dimensions)

UPSIDE-DOWN VIEW (int. dimenions)



INSIDE WALL DIMENSIONS



Coating (Int): Coating (Ext):	Seam Up: Flat Seam Dn: n/a	Wall Thickness: 8" Floor Height: 8"	Height (Int): 42" Height (Ext): 50"	Weight (Net): 4667 lb Volume (Net): 1.19cu.yd
----------------------------------	-------------------------------	--	--	--