



THIS DRAWING IS INTENDED TO BE PRINTED IN COLOR.




**PLAN VIEW**



**SECTION A-A**

**NOTES:**

1. MANUFACTURED TO ASTM C-478 (LATEST REVISION).
2. CONCRETE: 5,000 PSI AT 28 DAYS.
3. REINFORCING: #4 BAR @ 4" C/C (GRADE 60).
4. WEIGHT: 1,093 LBS.

<p>PRODUCTION WORK ORDER</p>		<p>PRODUCT I.D.: MH048LD06S</p>	<p>DESCRIPTION: 48" <math>\phi</math> X 6" MANHOLE TOP SLAB W/24"X36"</p>	
	<p>QUALITY CONTROL CHECKLIST</p>		<p>CUSTOMER: LAGCO INC.</p>	
	<input type="checkbox"/> ALL DIMENSIONS CORRECT.		<p>PLANT: BEAVER DAM, KY.</p>	
	<input type="checkbox"/> WIRE LIFT LOOPS INSTALLED.		<p>PROJECT: GOODWILL INDUSTRIES OF KENTUCKY</p>	
	<input type="checkbox"/> HOLE LOCATION CORRECT.		<p>WEIGHT: 1,093 LBS.</p>	
	<input type="checkbox"/> REINFORCING CORRECT.		<p>STRUCTURE: CBI 1</p>	
	<input type="checkbox"/> FINISH ON SLAB SURFACE UNIFORM.		<p>TOP SECTION JOINT: N/A</p>	
<input type="checkbox"/> OUTSIDE TOP EDGE TROWELLED.		<p>BOTTOM SECTION JOINT: RECESS</p>		
<input type="checkbox"/> RECESS JOINT INSTALLED.		<p>QC CHECK INITIALS:</p>		
		<p>PC: J.H. ROSS, PE</p>		
		<p>JOB NUMBER: 25-3021</p>		
		<p>DRAWING: C.RUSS</p>		
		<p>DATE: 10/17/25</p>		
		<p>SCALE: NTS</p>		
		<p>PG. 1 of 1</p>		