

Job Name: 25-3062 Portland Bypass
Job Location: Portland, TN
Contractor: Scotty's Contracting & Stone, LLC

Plant: Beaver Dam
6/1/2026 12:50:56 PM

Tech: J. Coppage
PC: C. Goff




Structure ID: COLLEGE-2 55+86.00

P1 HWTDOT6-1SA24


24" - HW TDOT 6:1 Type Safety Side Drain Endwall

GENERAL NOTES:


1. MANUFACTURED TO ASTM C-913 (LATEST REVISION).
2. CONCRETE: 5,000 PSI AT 28 DAYS.
4. REINFORCING: SEE SHEETS 2 AND 3 FOR REINFORCEMENT INFORMATION. (GRADE 60) REFERENCE TDOT DWG D-PE-24B
5. WEIGHT: 9,100 LBS



PLAN VIEW



FRONT ELEVATION



SIDE ELEVATION



24" - HW TDOT 6:1 Type Safety Side Drain Endwall



Job Name: 25-3062 Portland Bypass
Job Location: Portland, TN
Contractor: Scotty's Contracting & Stone, LLC

Plant: Beaver Dam
6/1/2026 12:50:56 PM

Tech: J. Coppage
PC: C. Goff



Structure ID: COLLEGE-2 55+86.00

P1 HWTDOT6-1SA24

24" - HW TDOT 6:1 Type Safety Side Drain Endwall

NOTE:
REBAR PARTS Y & Z ARE
#7 REBAR ALL OTHERS ARE
#4 REBAR

