



24" - HW TDOT 4:1 Type U Cross Drain Endwall

FRONT ELEVATION


Structure ID: KIRBY-5 14+39.10

P1 HWTDOT4-1TU24


24" - HW TDOT 4:1 Type U Cross Drain Endwall

GENERAL NOTES:


- 1. MANUFACTURED TO ASTM C-913 (LATEST REVISION).
- 2. CONCRETE: 5,000 PSI AT 28 DAYS.
- 3. REINFORCING: SEE SHEETS 2 AND 3 FOR REINFORCEMENT INFORMATION. (GRADE 60) REFERENCE TDOT DWG D-PE-24B.
- 4. WEIGHT: 6,470 LBS



MAT REBAR LAYOUT



SIDE WALL REBAR LAYOUT



BACK WALL REBAR LAYOUT

Job Name: 25-3062 Portland Bypass
Job Location: Portland, TN
Contractor: Scotty's Contracting & Stone, LLC

Plant: Beaver Dam
6/1/2026 12:50:55 PM

Tech: J. Coppage
PC: C. Goff



Structure ID: KIRBY-5 14+39.10

P1 HWTDOT4-1TU24

24" - HW TDOT 4:1 Type U Cross Drain Endwall

NOTE:
REBAR PARTS T & U ARE
#7 REBAR ALL OTHERS ARE
#4 REBAR

