



Job Name: 25-3193 - KYTC Kenton Co Call 328 (251320) Job Location: Independence, KY Contractor: Eaton Asphalt		Plant: 100 6/4/2026 4:55:40 PM	Tech: Jared - A PC: J. Jarvis	
Structure ID: 533				
P2 MH048CN24		ECC CONE w/ 24" HOLE F/G		
P3) 24" - CASTING HEIGHT - 8" P2) 48" - ECC CONE w/ 24" HOLE F/G - 24" P1) 48" - MH BASE T/n - 42" 1) CASTING - HOE KY-510 F/C (KY TY.2) 1) 48" - Conseal CS-102 1.00" 1) 24" - Conseal CS-102 1.00" 3) Hole - 24 5) MH Step ML-10-TDS-NCR - 10"		0 lb 1550 lb 3673 lb 510 lb 0 lb 0 lb 0 lb 0 lb 0 lb ----- 5733 lb Structure Total:	Structure Notes: ** KYTC STATE PROJECT ** 1. PER KYTC MH TY A / ASTM C-478 SPECS 2. CONCRETE: 4,000 PSI AT 28 DAYS 3. REINFORCEMENT: PER ASTM A615 4. STEPS REQUIRED 5. KY-510 FRAME & COVER "STORM" SUPPLIED BY ICAST	
				
 48" - ECC CONE w/ 24" HOLE F/G - 24" - (P2)				
Coating (Int): Coating (Ext):	Seam Up: Flat Seam Dn: Groove	Wall Thickness: 5"	Height (Ext): 24"	Weight (Net): 1550 lb Volume (Net): 0.33cu.yd