

Job Name: 25-3198 - Garner Farm Ph 2
 Job Location: Somerset, Ky
 Contractor: Weddle Enterprises, Inc

Plant: Beaver Dam

Tech: C. Russ

1/27/2026 2:10:21 PM

PC: C. Goff



Structure ID: CBI 27

P1 MH060BA72

MH BASE T/n

- P3) 18" x 36" - CASTING HEIGHT - 5.5"
- P2) 60" - MH FLAT TOP w/18"x36" Hole F/G - 13"
- P1) 60" - MH BASE T/n - 72"
- 1) 60" - Conseal CS-102 1.00"
- 1) 18" x 36" - Conseal CS-102 1.00"
- 2) Hole - 44
- 6) MH Step ML-10-TDS-NCR - 10"

0 lb
 2658 lb
 8566 lb
 0 lb
 0 lb
 0 lb
 0 lb

 0 lb
 Structure Total: 11224 lb



- Structure Notes:**
1. PER ASTM C-478 SPECIFICATIONS
 2. CONCRETE: 4,000 PSI AT 28 DAYS
 3. REINFORCEMENT: PER ASTM A615
 4. NO STORM INVERT
 5. STEPS AT 90 DEGREES
 6. HOE 580-A FRAME & GRATES SUPPLIED BY OTHERS

Rim: 1045.7' Rim to Invert: 7.5' Slack: 2.35" Sump: 2.85" Step Position: 90°


Position	Elev	Angle	Ext. (cw)	Pipe	Pipe OD	Connector	Hole	Horz Size	Up ()	Offset
Invert 1	1038.2'	0°	0"	36" HDPE	41.7"	Hole 44	44"	49.393"	0"	0"
Invert 2	1038.2'	180°	113.097"	36" HDPE	41.7"	Hole 44	44"	49.393"	0"	0"
Invert 3										
Invert 4										
Invert 5										
Invert 6										
Invert 7										
Invert 8										

RIGHT-SIDE UP VIEW (int. dimensions)

UPSIDE-DOWN VIEW (int. dimensions)



INSIDE WALL DIMENSIONS



Coating (Int):
 Coating (Ext):

Seam Up: Tongue
 Seam Dn: n/a

Wall Thickness: 6"
 Floor Height: 8"

Height (Int): 72"
 Height (Ext): 80"

Weight (Net): 8566 lb
 Volume (Net): 2.19cu.yd