

Job Name: 25-3208 Precast Top Slab
Job Location: Lexington, KY
Contractor: Alpha Energy Solution

PC: J. Jarvis
 TECH: J. Horsley
 Plant: 100



Structure ID: **Cust. Top Slab 61x86.5x6 solid**
 Spec: Custom Slabs
 Type: Cust. Top Slab (Solid)
 Size: 61" x 86.5"

Rim: 0.5'
 Invert: 0.5'
 Rim to Invert: 0'

Sump: 0"
 Floor (Top): 0"
 Floor Height: 0"


Floor (Bot): 0'
 Overall Height: 0.5'
 Slack: 0"

Structure Notes:

1. PER ASTM C913 SPECIFICATIONS.
2. CONCRETE = 4,500 PSI AT 28 DAYS.
3. REINFORCING PER ASTM A615 (GRADE 60).
 (As .47) #5 BARS AT 8" C.C.E.W.

STRUCTURE SUMMARY:


P1) 61" x 86.5" - CUST. TOP SLAB (SOLID) F/F - 6" 2657 lb
 Structure Total: 2657 lb



Position	Elev	Angle	Pipe	Pipe OD	Hole	Connector	Up ()	Ref
Rim	0.5'							
Reducer								
Invert 1								
Invert 2								
Invert 3								
Invert 4								
Invert 5								
Invert 6								
Invert 7								
Invert 8								

Cast (Int. Dim.) - Interior Dimensions

61" x 86.5" - CUST. TOP SLAB (SOLID) F/F - 6" - (P1)



Submittal Drawing
 11/12/2025 11:39:13 AM

SUBMITTAL
 APPROVED BY: