

Job Name: 25-3308 Lexmark Setzer
 Job Location: Lexington, Ky
 Contractor: Lagco Inc.

Plant: Beaver Dam
 10/28/2025 9:14:08 AM

Tech: C.Russ
 PC: C.Goff



Structure ID: MH-AA2

P4 MH060LD13

MH FLAT TOP w/ 24" ECC Hole

- P5) 24" - CASTING HEIGHT - 7"
- P4) 60" - MH FLAT TOP w/ 24" ECC Hole - 13"
- P3) 60" - MH RISER Custom Ht - 34"
- P2) 60" - MH RISER SPECIAL - 72"
- P1) 60" - MH BASE - 48"
- 1) CASTING - HOE MC-350 F/C Storm
- 3) 60" - Conseal CS-102 1.00"
- 2) Hole - 40
- 10) MH Step ML-10-TDS-NCR - 10"



0 lb
 2869 lb
 3549 lb
 6835 lb
 7062 lb
 305 lb
 0 lb
 0 lb
 0 lb

 20620 lb

Structure Total: 20620 lb

Structure Notes:

1. PER ASTM C478 SPECIFICATIONS.
2. CONCRETE = 4,000 PSI AT 28 DAYS.
3. HOE MC-350 "STORM" BY ICAST
4. REINFORCING PER ASTM A615 (GRADE 60).
 - TOP SLAB (As .62) #5 BARS AT 6" C.C.E.W..
 - RISER/WALLS (As .18)
 - FLOOR (As .37) #5 BARS AT 10" C.C.E.W.



Coating (Int):
 Coating (Ext):

Seam Up: Flat
 Seam Dn: Groove

Wall Thickness: 6"

Height (Ext): 13"

Weight (Net): 2869 lb
 Volume (Net): 0.73cu.yd