

Job Name: 25-3310 - Mammoth Cave NP-MACA 12  
 Job Location: Mammoth Cave , KY  
 Contractor: Phillips Brothers

Plant: 100

Tech: J. Horsley - F

4/2/2026 7:50:05 PM

PC: C. Goff



**Structure ID: CB25B**

**P1 BX2436-08BVF**

**BOX BASE 8inW, 8inF/n**

- P2) 24" x 36" - CASTING HEIGHT - 6"
- P1) 24" x 36" - BOX BASE 8inW, 8inF F/n - 36"
- 1) 24" x 36" - Conseal CS-102 1.00"
- 2) Hole - 26"

0 lb  
 4241 lb  
 0 lb  
 0 lb  
 -----  
 Structure Total: 4241 lb

- Structure Notes:**
1. PER ASTM C913 SPECIFICATIONS.
  2. CONCRETE = 4,000 PSI AT 28 DAYS.
  3. NO INVERT CHANNEL.
  4. CASTING SUPPLIED BY OTHERS (HOE-525).



REINFORCING PER ASTM A615 (GRADE 60).  
 - WALLS (As .12) #5 BARS AT 12" C.C.E.W.  
 - FLOOR (As .12) #5 BARS AT 12" C.C.E.W.

Rim: 737.98' Rim to Invert: 3.54' Slack: 0.48" Sump: 0" Step Position:


Position	Elev	Angle	Ext. (cw)	Pipe	Pipe OD	Connector	Hole	Horz Size	Up ( )	Offset
Invert 1	734.44'	125°	32.125"	18" RCP B WALL	23"	Hole 26	26"	31.74"	-2.5"	-6.5"
Invert 2	734.44'	245°	22.75"	18" RCP B WALL	23"	Hole 26	26"	28.688"	-2.5"	5.5"
Invert 3										
Invert 4										
Invert 5										
Invert 6										
Invert 7										
Invert 8										

RIGHT-SIDE UP VIEW (int. dimensions)

UPSIDE-DOWN VIEW (int. dimensions)



INSIDE WALL DIMENSIONS



Coating (Int): Coating (Ext):	Seam Up: Flat Seam Dn: n/a	Wall Thickness: 8" Floor Height: 8"	Height (Int): 36" Height (Ext): 44"	Weight (Net): 4241 lb Volume (Net): 1.08cu.yd
----------------------------------	-------------------------------	--	--	--