


TOP VIEW


GENERAL NOTES:

1. DESIGN LOADING – AASHTO HS-20.
2. DESIGN SPECIFICATIONS – ACI 318-14.
3. CONCRETE: 5,000 PSI AT 28 DAYS.
4. REINFORCING: AS SHOWN BELOW (GRADE 60)
SEE CONTECH DRAWING RS-05 FOR ADDITIONAL REINFORCEMENT INFORMATION.
5. WEIGHT: 13,370 LBS.

4 EA. CONAC 5CA14 ANCHORS
CAST IN AS SHOWN.



FRONT VIEW



RIGHT VIEW

<p>PRODUCTION WORK ORDER</p>		<p>PRODUCT I.D.: CVT</p>	<p>DESCRIPTION: 108" X 204" X 8" THICK TOP SLAB</p>	
	<p>QUALITY CONTROL CHECKLIST</p>	<p>PRODUCT VIEW: RIGHT SIDE UP</p>	<p>CUSTOMER: CONTECH ENGINEERED SOLUTIONS, LLC</p>	
	<p><input type="checkbox"/> ALL DIMENSIONS CORRECT. <input type="checkbox"/> LIFTERS INSTALLED. <input type="checkbox"/> OPENING CORRECT LOCATION. <input type="checkbox"/> REINFORCING CORRECT. <input type="checkbox"/> SURFACE QUALITY ACCEPTABLE. <input type="checkbox"/> EDGES CHAMFERED. <input type="checkbox"/> ALL PATCHWORK ACCEPTABLE.</p>	<p>PLANT: BEAVER DAM, KY.</p>	<p>PROJECT: 833965 CARLOCK DEALERSHIP</p>	
		<p>WEIGHT: 13,370 LBS.</p>	<p>STRUCTURE: KRACKEN KVOV0816-15</p>	
		<p>TOP SECTION JOINT: N/A</p>	<p>ORDER NO: 25-3384</p>	
		<p>BASE SECTION JOINT: N/A</p>	<p>PC: T. SEKULA</p>	<p>DRAWING: J. COPPAGE</p>
<p>QC CHECK INITIALS:</p>	<p>DATE: 9/17/25</p>	<p>SCALE: NTS</p>	<p>PG. 1 of 1</p>	

