



**GENERAL NOTES:**


1. MANUFACTURED TO ASTM C-913 (LATEST REVISION).
2. CONCRETE: 5,000 PSI AT 28 DAYS. CONCRETE.
3. REINFORCING: SEE SHEETS 2, 3, AND 4 FOR REBAR INFORMATION
4. WEIGHT: 11,450 LBS




PLAN VIEW




SMALLER KO  
4" THICK



LARGER KO  
4" THICK



ELEVATION VIEW



SIDE VIEW

**PRODUCTION WORK ORDER**

PRODUCT I.D.: HWDBLCUSTOM

DESCRIPTION: 24" X 38" DOUBLE HEADWALL



**QUALITY CONTROL CHECKLIST**

- ALL DIMENSIONS CORRECT.
- LIFTERS INSTALLED.
- OPENING CENTERED.
- REINFORCING CORRECT.
- SURFACE QUALITY ACCEPTABLE.
- EDGES CHAMFERED.
- ALL PATCHWORK ACCEPTABLE.

PRODUCT VIEW: RIGHT SIDE UP

CUSTOMER: J&J CONCRETE & EXCAVATING, LLC

PLANT: BEAVER DAM, KY.

PROJECT: PLANO BRIDLETON FARMS STORM

WEIGHT: 11,450 LBS.

STRUCTURE: 40-53431

TOP SECTION JOINT: N/A

ORDER NO: 25-3431

BASE SECTION JOINT: N/A

PC: E. BRADLEY


DRAWING: J. COPPAGE

QC CHECK INITIALS:


DATE: 10/30/25

SCALE: NTS


PG. 1 of 4



PLAN VIEW



ELEVATION VIEW



SECTION VIEW A-A


**GENERAL NOTES:**

1. MANUFACTURED TO ASTM C-913 (LATEST REVISION).
2. CONCRETE: 5,000 PSI AT 28 DAYS. CONCRETE.
3. REINFORCING: SEE SHEETS 2, 3, AND 4 FOR REBAR INFORMATION
4. WEIGHT: 11,450 LBS


<p>PRODUCTION WORK ORDER</p>		<p>PRODUCT I.D.: HWDBLCUSTOM</p>	<p>DESCRIPTION: 24" X 38" DOUBLE HEADWALL REBAR LAYOUT</p>	
	<p>QUALITY CONTROL CHECKLIST</p> <p><input type="checkbox"/> ALL DIMENSIONS CORRECT.</p> <p><input type="checkbox"/> LIFTERS INSTALLED.</p> <p><input type="checkbox"/> OPENING CENTERED.</p> <p><input type="checkbox"/> REINFORCING CORRECT.</p> <p><input type="checkbox"/> SURFACE QUALITY ACCEPTABLE.</p> <p><input type="checkbox"/> EDGES CHAMFERED.</p> <p><input type="checkbox"/> ALL PATCHWORK ACCEPTABLE.</p>		<p>CUSTOMER: J&amp;J CONCRETE &amp; EXCAVATING, LLC</p>	
	<p>PRODUCT VIEW: RIGHT SIDE UP</p>		<p>PROJECT: PLANO BRIDLETON FARMS STORM</p>	
	<p>PLANT: BEAVER DAM, KY.</p>		<p>STRUCTURE: 40-53431</p>	
	<p>WEIGHT: 11,450 LBS.</p>		<p>ORDER NO: 25-3431</p>	
	<p>TOP SECTION JOINT: N/A</p>		<p>PC: E. BRADLEY      DRAWING: J. COPPAGE</p>	
	<p>BASE SECTION JOINT: N/A</p>		<p>DATE: 10/30/25      SCALE: NTS      PG. 2 of 4</p>	
<p>QC CHECK INITIALS:</p>				

**GENERAL NOTES:**


1. MANUFACTURED TO ASTM C-913 (LATEST REVISION).
2. CONCRETE: 5,000 PSI AT 28 DAYS. CONCRETE.
3. REINFORCING: SEE SHEETS 2, 3, AND 4 FOR REBAR INFORMATION
4. WEIGHT: 11,450 LBS




SECTION VIEW C-C  
UPPER MAT



SECTION VIEW D-D  
LOWER MAT



SECTION VIEW B-B

PRODUCTION WORK ORDER		PRODUCT I.D.: HWDBLCUSTOM	DESCRIPTION: 24" X 38" DOUBLE HEADWALL REBAR LAYOUT		
	QUALITY CONTROL CHECKLIST	PRODUCT VIEW: RIGHT SIDE UP	CUSTOMER: J&J CONCRETE & EXCAVATING, LLC		
	<input type="checkbox"/> ALL DIMENSIONS CORRECT. <input type="checkbox"/> LIFTERS INSTALLED. <input type="checkbox"/> OPENING CENTERED. <input type="checkbox"/> REINFORCING CORRECT. <input type="checkbox"/> SURFACE QUALITY ACCEPTABLE. <input type="checkbox"/> EDGES CHAMFERED. <input type="checkbox"/> ALL PATCHWORK ACCEPTABLE.	PLANT: BEAVER DAM, KY.	PROJECT: PLANO BRIDLETON FARMS STORM		
		WEIGHT: 11,450 LBS.	STRUCTURE: 40-53431		
		TOP SECTION JOINT: N/A	ORDER NO: 25-3431		
		BASE SECTION JOINT: N/A	PC: E. BRADLEY	DRAWING: J. COPPAGE	
		QC CHECK INITIALS:	DATE: 10/30/25	SCALE: NTS	PG. 3 of 4

ITEM #	LENGHT	SIZE	QTY.
A	44"	#5	9
B	11"	#5	12
C	8"	#5	14
D	104"	#5	4
E	5"	#5	4
F	3"	#5	2
G	19"	#5	2
H	14"	#5	2
I	22"	#5	8
J	23"	#5	2
K	26"	#5	2
L	29"	#5	2
M	32"	#5	2
N	35"	#5	2
O	38"	#5	4
P	41"	#5	2
Q	52"	#5	8
R	20"	#5	2

ITEM #	LENGHT	SIZE	QTY.
S	2"	#5	2
T	54"	#5	2
U	152"	#5	4
V	148"	#5	2
W	141"	#5	1
X	139"	#5	1
Y	133"	#5	1
Z	130"	#5	1
AA	125"	#5	1
AB	122"	#5	1
AC	117"	#5	1
AD	113"	#5	1
AE	108"	#5	1
AF	24"	#5	4
AG	37"	#5	4
AH	49"	#5	22
AI	45"	#5	8

PRODUCTION WORK ORDER

PRODUCT I.D.: HWDBLCUSTOM

DESCRIPTION: 24" X 38" DBL HEADWALL REBAR CUT SHEET



QUALITY CONTROL CHECKLIST

- ALL DIMENSIONS CORRECT.
- LIFTERS INSTALLED.
- OPENING CENTERED.
- REINFORCING CORRECT.
- SURFACE QUALITY ACCEPTABLE.
- EDGES CHAMFERED.
- ALL PATCHWORK ACCEPTABLE.

PRODUCT VIEW: RIGHT SIDE UP

PLANT: BEAVER DAM, KY.

WEIGHT: 11,450 LBS.

TOP SECTION JOINT: N/A

BASE SECTION JOINT: N/A

QC CHECK INITIALS:

CUSTOMER: J&J CONCRETE & EXCAVATING, LLC

PROJECT: PLANO BRIDLETON FARMS STORM

STRUCTURE: 40-53431

ORDER NO: 25-3431

PC: E. BRADLEY

DRAWING: J. COPPAGE

DATE: 10/30/25

SCALE: NTS

PG. 4 of 4