



Job Name: 25-3579 - Lebanon Rd Clarks Run Trunk Sewer Ph 2		Plant: 100	Tech: J. Horsley	
Job Location: Danville, KY		6/7/2026 1:26:07 PM	PC: C. Goff	
Contractor: Hubert Excavating & Contracting				

Structure ID: MH A14				
P2	MH060TS13-48ECC	MH Trans. Slab - 48" Hole ECC, w/Coating T/G		

P5) 24" - CASTING HEIGHT - 7"	0 lb	Structure Notes: 1. PER ASTM C-478 SPECIFICATIONS 2. CONCRETE: 4,000 PSI AT 28 DAYS 3. REINFORCEMENT - 2" MIN. REBAR CLEARANCE (TYP): - TOP MAT: #4 BAR @ 18" C.C. E.W. (GRADE 60) - BOTTOM MAT: #4 BAR @ 9" C.C. E.W. (GRADE 60) 4. CARBOLINE 300M EXTERIOR COATING REQUIRED 5. HOE MC-375 FRAME & COVER "SANITARY" SUPPLIED BY OTHERS 6. LIFTERS: 3 EA. WRA016 CONAC WIRE ROPE ANCHORS FOR PLANT & FIELD HANDLING 7. TOP SURFACE TO RECEIVE FLOATED FINISH
P4) 24" - GRADE RING F/F - 6"	405 lb	
P3) 48" - ECC CONE w/ 24" HOLE, w/Coating F/G - 42"	3116 lb	
P2) 60" - MH Trans. Slab - 48" Hole ECC, w/Coating T/G - 13"	1928 lb	
P1) 60" - MH BASE w/FLANGE (08F/07EF) w/Coating T/n - 72"	10426 lb	
1) JOINT WRAP - 12" WD x 060" MAC WRAP	0 lb	
1) 60" - MH INVERT CHANNEL - FULL HEIGHT	2692 lb	
1) SPECIAL EXTERNAL COATING - Carboline 300M	0 lb	
1) JOINT WRAP - 12" WD x 048" MAC WRAP	0 lb	
1) SECONDARY POUR - Extended Flange	0 lb	
1) 60" - Conseal CS-102 1.00" (Double)	0 lb	
1) 48" - Conseal CS-102 1.00" (Double)	0 lb	
2) 24" - Conseal CS-102 1.00" (Double)	0 lb	
2) A-Lok - 1040	2 lb	
1) PSX - 12-08 NYLO	8 lb	
10) MH Step ML-10-TDS-NCR - 10"	0 lb	
220.64 SqFt) Carboline Bitumastic 300M [EXT]	0 lb	
Structure Total: 18577 lb		

	
--	--

	
---	--

Coating (Int): Coating (Ext): Carboline Bitumastic 300M	Seam Up: Tongue Seam Dn: Groove	Wall Thickness: 6"	Height (Ext): 13"	Weight (Net): 1928 lb Volume (Net): 0.49cu.yd
--	------------------------------------	--------------------	-------------------	--

Job Number:

25-3579

Job Name:

Lebanon Rd Clarks Run Trunk Sewer
Ph 2

Structure:

MH A14

Note:

This Structure Is To Receive An
External Coating of Carboline 300M
(Supplied By iCast)